ANNA 35

Swivel caster, Ø 35 mm



Robby Code:2021-0008-00
SPA Code:


Double swivel caster, Housing made of PA
Colour: Black
Without Brake
Wheel with Plain Bearing and PA Wheel
Connection via Threaded bolt M10x15mm

Mounting height (mm)	42.5
Offset (mm)	13
Swivel radius (mm)	38
Wheel Ø (mm)	35
Wheel width (mm)	47.5
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	62g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details	
QTY Per Bag	Bulk Pack
QTY Per Carton	200 pcs
Carton Size	42x28x21cm

Drawing



ANNA 35

Swivel caster, Ø 35 mm



Robby Code:2021-0011-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Black
With Brake
Wheel with Plain Bearing and PA Wheel,Brake PA
Connection via Threaded bolt M10x15mm


Mounting height (mm)	42.5
Offset (mm)	13
Swivel radius (mm)	44
Wheel Ø (mm)	35
Wheel width (mm)	47.5
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	67g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	Bulk Pack
QTY Per Carton	200 pcs
Carton Size	42x28x21cm

Drawing



ANNA 35

Swivel caster, Ø 35 mm



Robby Code:
SPA Code:


Double swivel caster, Housing made of PA
Colour: Black
Without Brake
Wheel with Plain Bearing and PA Wheel
Connection via Plate 42x42x2mm

Mounting height (mm)	47
Offset (mm)	13
Swivel radius (mm)	38
Wheel Ø (mm)	35
Wheel width (mm)	47.5
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	80 g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details	
QTY Per Bag	Bulk Pack
QTY Per Carton	200 pcs
Carton Size	42x31x21cm

Drawing



ANNA 35

Swivel caster, Ø 35 mm



Robby Code:2021-0013-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Black
With Brake
Wheel with Plain Bearing and PA Wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	47
Offset (mm)	13
Swivel radius (mm)	44
Wheel Ø (mm)	35
Wheel width (mm)	47.5
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	85g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	Bulk Pack
QTY Per Carton	200 pcs
Carton Size	42x31x21cm

Drawing



ANNA 35

Swivel caster, Ø 35 mm



Robby Code:2021-0017-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Black
Without Brake
Wheel with Plain Bearing and PA Wheel
Connection via Pin Ø11x22mm


Mounting height (mm)	40.5
Offset (mm)	13
Swivel radius (mm)	38
Wheel Ø (mm)	35
Wheel width (mm)	47.5
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	69g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	Bulk Pack
QTY Per Carton	200 pcs
Carton Size	42x28x21cm

Drawing



ANNA 35

Swivel caster, Ø 35 mm



Robby Code:2021-0016-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Black
With Brake
Wheel with Plain Bearing and PA Wheel,Brake PA
Connection via Pin Ø11x22mm

Mounting height (mm)	40.5
Offset (mm)	13
Swivel radius (mm)	44
Wheel Ø (mm)	35
Wheel width (mm)	47.5
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Brake colour	Black RAL 9004
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	74g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	Bulk Pack
QTY Per Carton	200 pcs
Carton Size	42x28x21cm

Drawing

