BLUE MOUNTAIN DOUBLE 50

Swivel caster, Ø 50 mm



Robby Code:2024-0024-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing,PP +TPE wheel
Connection via Plate 60x60x2 mm


Mounting height (mm)	73
Offset (mm)	32
Swivel radius (mm)	61
Wheel Ø (mm)	50
Wheel width (mm)	54
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	320g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	40x27x14.5cm

Drawing



BLUE MOUNTAIN DOUBLE 50

Swivel caster, Ø 50 mm



Robby Code:2024-0026-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake or Without Brake
Wheel with Plain bearing,PP +TPE wheel,Brake Steel
Connection via Plate 60x60x2 mm


Mounting height (mm)	73
Offset (mm)	32
Swivel radius (mm)	88
Wheel Ø (mm)	50
Wheel width (mm)	54
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	395g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing



BLUE MOUNTAIN DOUBLE 50

Swivel caster, Ø 50 mm



Robby Code:2024-0025-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Bearing and PP +TPE wheel
Connection via Plate 60x60x2 mm


Mounting height (mm)	73
Offset (mm)	32
Swivel radius (mm)	61
Wheel Ø (mm)	50
Wheel width (mm)	54
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	356g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	40x27x14.5cm

Drawing



BLUE MOUNTAIN DOUBLE 50

Swivel caster, Ø 50 mm



Robby Code:2024-0027-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Bearing and PP +TPE wheel,Brake Steel
Connection via Plate 60x60x2 mm


Mounting height (mm)	73
Offset (mm)	32
Swivel radius (mm)	88
Wheel Ø (mm)	50
Wheel width (mm)	54
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	428g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing



BLUE MOUNTAIN DOUBLE 50

Swivel caster, Ø 50 mm



Robby Code:2024-0028-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing,PP +TPE wheel
Connection via Top hole ø10mm


Mounting height (mm)	71
Offset (mm)	32
Swivel radius (mm)	61
Wheel Ø (mm)	50
Wheel width (mm)	54
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Top hole
Fitting dimension	ø10mm
Weight	290g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	40x27x14.5cm

Drawing



BLUE MOUNTAIN DOUBLE 50

Swivel caster, Ø 50 mm



Robby Code:2024-0031-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing,PP +TPE wheel,Brake Steel
Connection via Top hole ø10mm


Mounting height (mm)	71
Offset (mm)	32
Swivel radius (mm)	88
Wheel Ø (mm)	50
Wheel width (mm)	54
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Top hole
Fitting dimension	ø10mm
Weight	365g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing



BLUE MOUNTAIN DOUBLE 50

Swivel caster, Ø 50 mm



Robby Code:2024-0029-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Bearing and PP +TPE wheel
Connection via Top hole ø10mm


Mounting height (mm)	71
Offset (mm)	32
Swivel radius (mm)	61
Wheel Ø (mm)	50
Wheel width (mm)	54
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Top hole
Fitting dimension	ø10mm
Weight	326g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	40x27x14.5cm

Drawing



BLUE MOUNTAIN DOUBLE 50

Swivel caster, Ø 50 mm



Robby Code:2024-0030-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Bearing and PP +TPE wheel,Brake Steel
Connection via Top hole ø10mm


Mounting height (mm)	71
Offset (mm)	32
Swivel radius (mm)	88
Wheel Ø (mm)	50
Wheel width (mm)	54
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Top hole
Fitting dimension	ø10mm
Weight	398g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing



BLUE MOUNTAIN DOUBLE 75

Swivel caster, Ø 75 mm



Robby Code:2024-0038-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing,PP +TPE Wheel
Connection via Plate 77x67x2.5 mm


Mounting height (mm)	100
Offset (mm)	34
Swivel radius (mm)	76
Wheel Ø (mm)	75
Wheel width (mm)	73
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Plate
Fitting dimension	77x67x2 .5mm
Weight	485g

Load Capacity (dynamic)	100 kg
Load Capacity (static)	200 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	25 pcs
Carton Size	40x27x20cm

Drawing



BLUE MOUNTAIN DOUBLE 75

Swivel caster, Ø 75 mm



Robby Code:2024-0039-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing,PP +TPE Wheel,Brake Steel
Connection via Plate 77x67x2.5 mm


Mounting height (mm)	100
Offset (mm)	34
Swivel radius (mm)	94
Wheel Ø (mm)	75
Wheel width (mm)	73
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Plate
Fitting dimension	77x67x2 .5mm
Weight	585g

Load Capacity (dynamic)	100 kg
Load Capacity (static)	200 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	25 pcs
Carton Size	53x26x15cm

Drawing



BLUE MOUNTAIN DOUBLE 75

Swivel caster, Ø 75 mm



Robby Code:2024-0012-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Bearing,PP +TPE Wheel
Connection via Plate 77x67x2.5 mm


Mounting height (mm)	100
Offset (mm)	34
Swivel radius (mm)	76
Wheel Ø (mm)	75
Wheel width (mm)	73
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Plate
Fitting dimension	77x67x2.5mm
Weight	518g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing



BLUE MOUNTAIN DOUBLE 75

Swivel caster, Ø 75 mm



Robby Code:2024-0022-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Bearing,PP +TPE Wheel ,Brake Steel
Connection via Plate 77x67x2.5 mm


Mounting height (mm)	100
Offset (mm)	34
Swivel radius (mm)	94
Wheel Ø (mm)	75
Wheel width (mm)	73
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Plate
Fitting dimension	77x67x2.5mm
Weight	620g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	53x26x15cm

Drawing



BLUE MOUNTAIN DOUBLE 75

Swivel caster, Ø 75 mm



Robby Code:2024-0018-00
SPA Code:

Double Swivel caster, Housing made of Steel,
Colour: Blue Zinc + Light gray + Dark gray
With Brake or Without Brake
Wheel with Plain bearing,PP +TPE Wheel
Connection via Top hole ø10mm


Mounting height (mm)	98
Offset (mm)	34
Swivel radius (mm)	76
Wheel Ø (mm)	75
Wheel width (mm)	73
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Top hole
Fitting dimension	ø10mm
Weight	382g

Load Capacity (dynamic)	100kg
Load Capacity (static)	200 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	30 pcs
Carton Size	40x27x14.5cm

Drawing



BLUE MOUNTAIN DOUBLE 75

Swivel caster, Ø 75 mm



Robby Code:2024-0021-00
SPA Code:

Double Swivel caster, Housing made of Steel,
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing,PP +TPE Wheel,Brake Steel
Connection via Top hole ø10mm


Mounting height (mm)	98
Offset (mm)	34
Swivel radius (mm)	94
Wheel Ø (mm)	75
Wheel width (mm)	73
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Top hole
Fitting dimension	ø10mm
Weight	482g

Load Capacity (dynamic)	100kg
Load Capacity (static)	200 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	30 pcs
Carton Size	40x27x20cm

Drawing



BLUE MOUNTAIN DOUBLE 75

Swivel caster, Ø 75 mm



Robby Code:2024-0020-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake or Without Brake
Wheel with Bearing,PP +TPE Wheel
Connection via Top hole ø10mm


Mounting height (mm)	98
Offset (mm)	34
Swivel radius (mm)	76
Wheel Ø (mm)	75
Wheel width (mm)	73
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Top hole
Fitting dimension	ø10mm
Weight	417g

Load Capacity (dynamic)	100 kg
Load Capacity (static)	200 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	30 pcs
Carton Size	40x27x14.5cm

Drawing



BLUE MOUNTAIN DOUBLE 75

Swivel caster, Ø 75 mm



Robby Code:2024-0022-00
SPA Code:

Double Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Bearing,PP +TPE Wheel ,Brake Steel
Connection via Top hole ø10mm

Mounting height (mm)	98
Offset (mm)	34
Swivel radius (mm)	94
Wheel Ø (mm)	75
Wheel width (mm)	73
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Top hole
Fitting dimension	ø10mm
Weight	517g

Load Capacity (dynamic)	100 kg
Load Capacity (static)	200 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	30 pcs
Carton Size	40x27x20cm

Drawing

