BLUE MOUNTAIN 50

Swivel caster, Ø 50 mm



Robby Code:2024-0001-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light Gray + Dark gray
Without Brake
Wheel with Plain Bearing and PP +TPE wheel
Connection via Plate 60x60x2 mm


Mounting height (mm)	73
Offset (mm)	25
Swivel radius (mm)	51
Wheel Ø (mm)	50
Wheel width (mm)	28
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	202g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	100 pcs
Carton Size	40x28x19cm

Drawing



BLUE MOUNTAIN 50

Swivel caster, Ø 50 mm



Robby Code:2024-0005-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light Gray + Dark gray
With Brake
Wheel with Plain Bearing and PP +TPE wheel,Brake Steel
Connection via Plate 60x60x2 mm


Mounting height (mm)	73
Offset (mm)	25
Swivel radius (mm)	67
Wheel Ø (mm)	50
Wheel width (mm)	28
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	229g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	100 pcs
Carton Size	40x28x22cm

Drawing



BLUE MOUNTAIN 50

Swivel caster, Ø 50 mm



Robby Code:2024-0002-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light Gray + Dark gray
Without Brake
Wheel with Ball Bearing and PP +TPE wheel
Connection via Plate 60x60x2 mm


Mounting height (mm)	73
Offset (mm)	25
Swivel radius (mm)	51
Wheel Ø (mm)	50
Wheel width (mm)	28
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	217g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	100 pcs
Carton Size	40x28x23cm

Drawing



BLUE MOUNTAIN 50

Swivel caster, Ø 50 mm



Robby Code:2024-0006-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light Gray + Dark gray
With Brake
Wheel with Ball Bearing and PP +TPE wheel,Brake Steel
Connection via Plate 60x60x2 mm


Mounting height (mm)	73
Offset (mm)	25
Swivel radius (mm)	67
Wheel Ø (mm)	50
Wheel width (mm)	28
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	243g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	100 pcs
Carton Size	40x28x27cm

Drawing



BLUE MOUNTAIN 50

Swivel caster, Ø 50 mm



Robby Code:2024-0003-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light Gray + Dark gray
Without Brake
Wheel with Plain Bearing and PP +TPE wheel
Connection via Top hole ø10mm


Mounting height (mm)	69
Offset (mm)	25
Swivel radius (mm)	51
Wheel Ø (mm)	50
Wheel width (mm)	28
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Top hole
Fitting dimension	ø10mm
Weight	142g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing



BLUE MOUNTAIN 50

Swivel caster, Ø 50 mm



Robby Code:2024-0007-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light Gray + Dark gray
With Brake
Wheel with Plain Bearing and PP +TPE wheel,Brake Steel
Connection via Top hole ø10mm


Mounting height (mm)	69
Offset (mm)	25
Swivel radius (mm)	67
Wheel Ø (mm)	50
Wheel width (mm)	28
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Top hole
Fitting dimension	ø10mm
Weight	169g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	100 pcs
Carton Size	40x27x18cm

Drawing



BLUE MOUNTAIN 50

Swivel caster, Ø 50 mm



Robby Code:2024-0004-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light Gray + Dark gray
Without Brake
Wheel with Ball Bearing and PP +TPE wheel
Connection via Top hole ø8mm


Mounting height (mm)	69
Offset (mm)	25
Swivel radius (mm)	51
Wheel Ø (mm)	50
Wheel width (mm)	28
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Top hole
Fitting dimension	ø5mm
Weight	345G

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing



BLUE MOUNTAIN 50

Swivel caster, Ø 50 mm



Robby Code:2024-0008-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light Gray + Dark gray
With Brake
Wheel with Ball Bearing and PP +TPE wheel,Brake Steel
Connection via Top hole ø8mm


Mounting height (mm)	69
Offset (mm)	25
Swivel radius (mm)	With brake67;Without brake:51
Wheel Ø (mm)	50
Wheel width (mm)	28
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Top hole
Fitting dimension	ø5mm
Weight	365g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	100 pcs
Carton Size	40x27x18cm

Drawing



BLUE MOUNTAIN 75

Swivel caster, Ø 75 mm



Robby Code:2024-0010-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP +TPE wheel
Connection via Plate 60x60x2 mm


Mounting height (mm)	100
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	34
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	279g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	25pcs
Carton Size	40x27x20cm

Drawing



BLUE MOUNTAIN 75

Swivel caster, Ø 75 mm



Robby Code:2024-0014-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP +TPE wheel,Brake Steel
Connection via Plate 60x60x2 mm


Mounting height (mm)	100
Offset (mm)	28
Swivel radius (mm)	79
Wheel Ø (mm)	75
Wheel width (mm)	34
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	331g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	25pcs
Carton Size	53x26x15cm

Drawing



BLUE MOUNTAIN 75

Swivel caster, Ø 75 mm



Robby Code:2024-0012-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Ball Bearing and PP +TPE wheel
Connection via Plate 60x60x2 mm


Mounting height (mm)	100
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	34
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	295g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	25 pcs
Carton Size	40x27x20cm

Drawing



BLUE MOUNTAIN 75

Swivel caster, Ø 75 mm



Robby Code:2024-0032-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Ball Bearing and PP +TPE wheel,Brake Steel
Connection via Plate 60x60x2 mm


Mounting height (mm)	100
Offset (mm)	28
Swivel radius (mm)	79
Wheel Ø (mm)	75
Wheel width (mm)	34
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Plate
Fitting dimension	60x60x2 mm
Weight	346g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	25 pcs
Carton Size	53x26x15cm

Drawing



BLUE MOUNTAIN 75

Swivel caster, Ø 75 mm



Robby Code:2024-0017-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP +TPE wheel
Connection via Top hole ø10mm


Mounting height (mm)	98
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	34
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Top hole
Fitting dimension	ø10mm
Weight	219g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



BLUE MOUNTAIN 75

Swivel caster, Ø 75 mm



Robby Code:2024-0023-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP +TPE wheel,Brake Steel
Connection via Top hole ø10mm


Mounting height (mm)	98
Offset (mm)	28
Swivel radius (mm)	77
Wheel Ø (mm)	75
Wheel width (mm)	34
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Top hole
Fitting dimension	ø10mm
Weight	350g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



BLUE MOUNTAIN 75

Swivel caster, Ø 75 mm



Robby Code:2024-0019-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Ball Bearing and PP +TPE wheel
Connection via Top hole ø10mm


Mounting height (mm)	98
Offset (mm)	28
Swivel radius (mm)	65.5
Wheel Ø (mm)	75
Wheel width (mm)	34
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Attachment	Top hole
Fitting dimension	ø10mm
Weight	236g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50pcs
Carton Size	40x27x16cm

Drawing



BLUE MOUNTAIN 75

Swivel caster, Ø 75 mm



Robby Code:2024-0009-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Ball Bearing and PP +TPE wheel,Brake Steel
Connection via Top hole ø10mm

Mounting height (mm)	98
Offset (mm)	28
Swivel radius (mm)	77
Wheel Ø (mm)	75
Wheel width (mm)	34
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7012
Brake colour	Blue Zinc
Attachment	Top hole
Fitting dimension	ø10mm
Weight	266g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	Bulk pack
QTY Per Carton	50pcs
Carton Size	40x27x18cm

Drawing

