ELISA 50

Swivel caster, Ø 50 mm



Robby Code: 2018-0002-00
SPA Code：

Double swivel caster, Housing made of PA
Colour: Black
Without Brake
Wheel with Plain Bearing and PA Wheel
Connection via Threaded bolt M10x15MM


Mounting height (mm)	63
Offset (mm)	18.2
Swivel radius (mm)	51
Wheel Ø (mm)	50
Wheel width (mm)	52
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	89 g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	100 pcs
Carton Size	42x28x21cm

Drawing



ELISA 50

Swivel caster, Ø 50 mm



Robby Code: 2018-0007-00
SPA Code：

Double swivel caster, Housing made of PA
Colour: Black
With Brake
Wheel with Plain Bearing and PA Wheel,Brake PA
Connection via Threaded bolt M10x15mm


Mounting height (mm)	63
Offset (mm)	18.2
Swivel radius (mm)	63
Wheel Ø (mm)	50
Wheel width (mm)	52
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	95g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	100 pcs
Carton Size	42x31x21cm

Drawing



ELISA 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:


Double swivel caster, Housing made of PA
Colour: Black
Without Brake
Wheel with Plain Bearing and PA Wheel
Connection via Plate 42x42x2mm

Mounting height (mm)	68
Offset (mm)	18.2
Swivel radius (mm)	51
Wheel Ø (mm)	50
Wheel width (mm)	52
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	118 g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details	
QTY Per Bag	4 pcs
QTY Per Carton	160 pcs
Carton Size	40x37x27cm

Drawing



ELISA 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Double swivel caster, Housing made of PA
Colour: Black
With Brake
Wheel with Plain Bearing and PA Wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	68
Offset (mm)	18.2
Swivel radius (mm)	63
Wheel Ø (mm)	50
Wheel width (mm)	52
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	125g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	160 pcs
Carton Size	40x37x27cm

Drawing



ELISA 50

Swivel caster, Ø 50 mm



Robby Code: 2018-0014-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Black
Without Brake
Wheel with Plain Bearing and PA Wheel
Connection via Pin Ø11x22mm


Mounting height (mm)	61
Offset (mm)	18.2
Swivel radius (mm)	51
Wheel Ø (mm)	50
Wheel width (mm)	52
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	98g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing



ELISA 50

Swivel caster, Ø 50 mm



Robby Code: 2018-0005-00
SPA Code：

Double swivel caster, Housing made of PA
Colour: Black
With Brake
Wheel with Plain Bearing and PA Wheel,Brake PA
Connection via Pin Ø11x22mm


Mounting height (mm)	61
Offset (mm)	18.2
Swivel radius (mm)	63
Wheel Ø (mm)	50
Wheel width (mm)	52
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Brake colour	Black RAL 9004
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	104g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing



ELISA 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Double swivel caster, Housing made of PA
Colour: Black
Without Brake
Wheel with Plain Bearing and PA Wheel
Connection via Pin Ø8x38mm


Mounting height (mm)	61
Offset (mm)	18.2
Swivel radius (mm)	51
Wheel Ø (mm)	50
Wheel width (mm)	52
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Attachment	Pin
Fitting dimension	Pin Ø8x38mm
Weight	96g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing



ELISA 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Double swivel caster, Housing made of PA
Colour: Black
With Brake
Wheel with Plain Bearing and PA Wheel,Brake PA
Connection via Pin Ø8x38mm

Mounting height (mm)	61
Offset (mm)	18.2
Swivel radius (mm)	63
Wheel Ø (mm)	50
Wheel width (mm)	52
Wheel hardness	95shore A
Fork colour	Black RAL 9004
Colour of wheel hub/cover	Black RAL 9004
Brake colour	Black RAL 9004
Attachment	Pin
Fitting dimension	Pin Ø8x38mm
Weight	102g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing

