EMILY II 50

Swivel caster, Ø 50 mm



Robby Code:2002-0169-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and TPE+PP wheel
Wheel cover:steel
Connection via Top hole Ø8mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	102g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY II 50

Swivel caster, Ø 50 mm



Robby Code:2002-0170-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel, Brake PA
Wheel cover:steel
Connection via Top hole Ø8mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	111g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing



EMILY II 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and TPE+PP wheel
Wheel cover:steel
Connection via Threaded bolt M8x15mm


Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ht gray RAL 7040 + Dark gray RAL 7015
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	117g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY II 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel, Brake PA
Wheel cover:steel
Connection via Threaded bolt M8x15mm


Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ght gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	126g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing



EMILY II 50

Swivel caster, Ø 50 mm



Robby Code:2002-0160-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and TPE+PP wheel
Wheel cover:steel
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	120g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing



EMILY II 50

Swivel caster, Ø 50 mm



Robby Code:2002-0168-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel, Brake PA
Wheel cover:steel
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	129g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x18cm

Drawing



EMILY II 60

Swivel caster, Ø 60 mm



Robby Code:2002-0220-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Wheel cover:steel
Connection via Top hole Ø10mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	102g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50pcs
Carton Size	40x27x14.5cm

Drawing



EMILY II 60

Swivel caster, Ø 60 mm



Robby Code:2002-0221-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Wheel cover:steel
Connection via Top hole Ø10mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	84
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	111g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50pcs
Carton Size	40x27x16cm

Drawing



EMILY II 60

Swivel caster, Ø 60 mm



Robby Code:2002-0216-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Wheel cover:steel
Connection via Threaded bolt M10x15mm


Mounting height (mm)	83
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ht gray RAL 7040 + Dark gray RAL 7015
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	117g

Load Capacity (dynamic)	50kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY II 60

Swivel caster, Ø 60 mm



Robby Code:2002-0217-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Wheel cover:steel
Connection via Threaded bolt M10x15mm


Mounting height (mm)	83
Offset (mm)	28
Swivel radius (mm)	84
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ght gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	126g

Load Capacity (dynamic)	50kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



EMILY II 60

Swivel caster, Ø 60 mm



Robby Code:2002-0218-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Wheel cover:steel
Connection via Plate 60x60x2mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	226g

Load Capacity (dynamic)	50kg
Load Capacity (static)	100kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing



EMILY II 60

Swivel caster, Ø 60 mm



Robby Code:2002-0219-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Wheel cover:steel
Connection via Plate 60x60x2mm

Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	84
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	244g

Load Capacity (dynamic)	50kg
Load Capacity (static)	100kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x18cm

Drawing



EMILY II 75

Swivel caster, Ø 75 mm



Robby Code:2002-0196-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Wheel cover:steel
Connection via Top hole Ø10mm


Mounting height (mm)	96.5
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	238g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50pcs
Carton Size	40x27x14.5cm

Drawing



EMILY II 75

Swivel caster, Ø 75 mm



Robby Code:2002-0197-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Wheel cover:steel
Connection via Top hole Ø10mm


Mounting height (mm)	96.5
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	8shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	257g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50pcs
Carton Size	40x27x16 cm

Drawing



EMILY II 75

Swivel caster, Ø 75 mm



Robby Code:2002-0142-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Wheel cover:steel
Connection via Threaded bolt M10x15mm


Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ht gray RAL 7040 + Dark gray RAL 7015
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	253g

Load Capacity (dynamic)	65kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMILY II 75

Swivel caster, Ø 75 mm



Robby Code:2002-0143-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Wheel cover:steel
Connection via Threaded bolt M10x15mm


Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ıht gray RAL 7040 + Dark gray RAL 7015
Brake	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	272g

Load Capacity (dynamic)	65kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	： 40x27x20cm

Drawing



EMILY II 75

Swivel caster, Ø 75 mm



Robby Code:2002-0194-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Wheel cover:steel
Connection via Plate 60x60x2mm


Mounting height (mm)	64
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	262g

Load Capacity (dynamic)	65kg
Load Capacity (static)	130kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



EMILY II 75

Swivel caster, Ø 75 mm



Robby Code:2002-0195-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Wheel cover:steel
Connection via Plate 60x60x2mm


Mounting height (mm)	64
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	280g

Load Capacity (dynamic)	65kg
Load Capacity (static)	130kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x18 cm

Drawing



EMILY II 100

Swivel castor, Ø 100 mm



Robby Code:2002-0208-00
SPA Code:

Single Swivel castor, Housing made of Steel,
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE Wheel
Wheel cover:steel
Connection via Top hole Ø10mm


Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	86
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	326g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50pcs
Carton Size	53x26x21cm

Drawing



EMILY II 100

Swivel castor, Ø 100 mm



Robby Code:2002-0209-00
SPA Code:

Single Swivel castor, Housing made of Steel,
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE Wheel,Brake PA
Wheel cover:steel
Connection via Top hole Ø10mm


Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	94
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	345g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50pcs
Carton Size	53x26x21cm

Drawing



EMILY II 100

Swivel castor, Ø 100 mm



Robby Code:2002-0204-00
SPA Code:

Single Swivel castor, Housing made of Steel,
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE Wheel
Wheel cover:steel
Connection via Threaded bolt M10x15mm


Mounting height (mm)	127
Offset (mm)	35
Swivel radius (mm)	86
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ht gray RAL 7040 + Dark gray RAL 7015
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	342g

Load Capacity (dynamic)	60kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing



EMILY II 100

Swivel castor, Ø 100 mm



Robby Code:2002-0205-00
SPA Code:

Single Swivel castor, Housing made of Steel,
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE Wheel,Brake PA
Wheel cover:steel
Connection via Threaded bolt M10x15mm


Mounting height (mm)	127
Offset (mm)	35
Swivel radius (mm)	94
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ght gray RAL 7040 + Dark gray RAL 7015
Brake	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	360g

Load Capacity (dynamic)	60kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing



EMILY II 100

Swivel castor, Ø100 mm



Robby Code:2002-0206-00
SPA Code:

Single Swivel castor, Housing made of Steel,
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE Wheel
Wheel cover:steel
Connection via Plate 60x60x2mm


Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	86
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	359g

Load Capacity (dynamic)	60kg
Load Capacity (static)	120kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x23cm

Drawing



EMILY II 100

Swivel castor, Ø100 mm



Robby Code:2002-0207-00
SPA Code:

Single Swivel castor, Housing made of Steel,
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE Wheel,Brake PA
Wheel cover:steel
Connection via Plate 60x60x2mm


Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	94
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	378g

Load Capacity (dynamic)	60kg
Load Capacity (static)	120kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x23cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:2002-0018-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP Wheel
Connection via Top hole Ø8mm

Mounting height (mm)	52.5
Offset (mm)	17.5
Swivel radius (mm)	39
Wheel Ø (mm)	40
Wheel width (mm)	27.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	73g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:2002-0009-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP Wheel,Brake PA
Connection via Top hole Ø8mm


Mounting height (mm)	52.5
Offset (mm)	17.5
Swivel radius (mm)	57
Wheel Ø (mm)	40
Wheel width (mm)	27.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Balck RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	81g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP Wheel
Connection via Threaded bolt M8x15mm

Mounting height (mm)	57
Offset (mm)	17.5
Swivel radius (mm)	39
Wheel Ø (mm)	40
Wheel width (mm)	27.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	93g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP Wheel,Brake PA
Connection via Threaded bolt M8x15mm


Mounting height (mm)	57
Offset (mm)	17.5
Swivel radius (mm)	57
Wheel Ø (mm)	40
Wheel width (mm)	27.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Balck RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	101g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP Wheel
Connection via Plate 42x42x2mm


Mounting height (mm)	53
Offset (mm)	17.5
Swivel radius (mm)	39
Wheel Ø (mm)	40
Wheel width (mm)	27.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	94g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP Wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	53
Offset (mm)	17.5
Swivel radius (mm)	57
Wheel Ø (mm)	40
Wheel width (mm)	27.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Balck RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	102g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:2002-0047-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing an PP Wheel
Connection via Top hole Ø8mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	87g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:2002-0061-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing an PP Wheel,Brake PA
Connection via Top hole Ø8mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	92g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing an PP Wheel
Connection via Threaded bolt M8x15mm

Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	107g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing an PP Wheel,Brake PA
Connection via Threaded bolt M8x15mm


Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	114g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:2002-0034-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing an PP Wheel
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	110g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:2002-0145-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing an PP Wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	114g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x18cm

Drawing



EMILY 60

Swivel caster, Ø 60 mm



Robby Code:2002-0075-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP wheel
Connection via Top hole Ø10mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	186g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 60

Swivel caster, Ø 60 mm



Robby Code:2002-0085-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP wheel,Brake PA
Connection via Top hole Ø10mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	82
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	206g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



EMILY 60

Swivel caster, Ø 60 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP wheel
Connection viaThreaded bolt M10x15mm


Mounting height (mm)	83
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	206g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 60

Swivel caster, Ø 60 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP wheel,Brake PA
Connection viaThreaded bolt M10x15mm


Mounting height (mm)	83
Offset (mm)	28
Swivel radius (mm)	82
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	226g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



EMILY 60

Swivel caster, Ø 60 mm



Robby Code:2002-0069-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP wheel
Connection via Plate 60x60x2mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	209g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



EMILY 60

Swivel caster, Ø 60 mm



Robby Code:2002-0080-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP wheel,Brake PA
Connection via Plate 60x60x2mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	82
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	229g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP Wheel
Connection via Top hole Ø10mm


Mounting height (mm)	96.5
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	208g

Load Capacity (dynamic)	65kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP Wheel,Brake PA
Connection via Top hole Ø10mm


Mounting height (mm)	96.5
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	227g

Load Capacity (dynamic)	65kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP Wheel
Connection via Threaded bolt M10x15mm

Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	228g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1 pc
QTY Per Carton	50pcs
Carton Size	40x27x18cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP Wheel,Brake PA
Connection via Threaded bolt M10x15mm

Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	247g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1 pc
QTY Per Carton	50pcs
Carton Size	40x27x20cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP Wheel
Connection via Plate 60x60x2mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	236g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP Wheel,Brake PA
Connection via Plate 60x60x2mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	255g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:2002-0230-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray +Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Top hole Ø8mm


Mounting height (mm)	52.5
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	40
Wheel width (mm)	27.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Light gray RAL 7040+Dark Grey RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	73g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:2002-0231-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray +Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Top hole Ø8mm


Mounting height (mm)	52.5
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	40
Wheel width (mm)	27.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	Light gray RAL 7040+Dark Grey RAL 7015
Brake Colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	81g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:2002-0226-XS
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray +Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Threaded bolt M8x15mm


Mounting height (mm)	57
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	40
Wheel width (mm)	27.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ght gray RAL 7040+Dark Grey RAL 7015
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	93g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:2002-0227-XS
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray +Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Threaded bolt M8x15mm


Mounting height (mm)	57
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	40
Wheel width (mm)	27.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ght gray RAL 7040+Dark Grey RAL 7015
Brake Colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	101g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:2002-0228-XS
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray +Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Plate 42x42x2mm


Mounting height (mm)	53
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	40
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040+Dark Grey RAL 7015
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	94g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMILY 40

Swivel caster, Ø 40 mm



Robby Code:2002-0229-XS
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray +Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	53
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	40
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	_ight gray RAL 7040+Dark Grey RAL 7015
Brake Colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	102g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:2002-0224-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray +Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Top hole Ø8mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark Grey RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	87g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:2002-0225-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Top hole Ø8mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark Grey RAL 7015
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	92g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x16 cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:2002-0171-XS
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Threaded bolt M8x15mm


Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ht gray RAL 7040 + Dark Grey RAL 7015
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	107g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:2002-0172-XS
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Threaded bolt M8x15mm


Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ht gray RAL 7040 + Dark Grey RAL 7015
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	114g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:2002-0222-XS
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	45
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ght gray RAL 7040 + Dark Grey RAL 7015
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	110g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing



EMILY 50

Swivel caster, Ø 50 mm



Robby Code:2002-0223-XS
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	50
Wheel width (mm)	28.5
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ght gray RAL 7040 + Dark Grey RAL 7015
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	114g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x18cm

Drawing



EMIIY 60

Swivel caster, Ø 60 mm



Robby Code:2002-0214-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Top hole Ø10mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	186g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x14.5cm

Drawing



EMIIY 60

Swivel caster, Ø 60 mm



Robby Code:2002-0215-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Top hole Ø10mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	82
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	206g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



EMIIY 60

Swivel caster, Ø 60 mm



Robby Code:2002-0210-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Threaded bolt M10x15mm


Mounting height (mm)	57
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ht gray RAL 7040 + Dark gray RAL 7015
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	206g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x14.5cm

Drawing



EMIIY 60

Swivel caster, Ø 60 mm



Robby Code:2002-0211-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Threaded bolt M10x15mm


Mounting height (mm)	83
Offset (mm)	28
Swivel radius (mm)	82
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ıht gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	226 g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



EMIIY 60

Swivel caster, Ø 60 mm



Robby Code:2002-0212-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Plate 60x60x2mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	209g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



EMIIY 60

Swivel caster, Ø 60 mm



Robby Code:2002-0213-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Plate 60x60x2mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	82
Wheel Ø (mm)	60
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	229g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x18 cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:2002-0165-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Top hole Ø10mm


Mounting height (mm)	96.5
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	208g

Load Capacity (dynamic)	65kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:2002-0166-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Top hole Ø10mm


Mounting height (mm)	96.5
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	227g

Load Capacity (dynamic)	65kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x20 cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:2002-0188-XS
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Threaded bolt M10x15mm

Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ht gray RAL 7040 + Dark gray RAL 7015
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	228g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	50pcs
Carton Size	40x27x18cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:2002-0189-XS
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Threaded bolt M10x15mm


Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ght gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	247g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50pcs
Carton Size	40x27x20cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:2002-0190-XS
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Plate 60x60x2mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	236g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMILY 75

Swivel caster, Ø 75 mm



Robby Code:2002-0191-XS
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Plate 60x60x2mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	255g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing



EMILY 100

Swivel caster, Ø 100 mm



Robby Code:2002-0202-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Top hole Ø10mm


Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	86
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	289g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing



EMILY 100

Swivel caster, Ø 100 mm



Robby Code:2002-0203-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Top hole Ø10mm


Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	94
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø10mm
Weight	308g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing



EMILY 100

Swivel caster, Ø 100 mm



Robby Code:2002-0198-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Threaded bolt M10x15mm


Mounting height (mm)	127
Offset (mm)	35
Swivel radius (mm)	86
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ht gray RAL 7040 + Dark gray RAL 7015
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	309g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing



EMILY 100

Swivel caster, Ø 100 mm



Robby Code:2002-0199-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake PA
Connection via Threaded bolt M10x15mm


Mounting height (mm)	127
Offset (mm)	35
Swivel radius (mm)	94
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ht gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	328g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing



EMILY 100

Swivel caster, Ø 100 mm



Robby Code:2002-0200-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
Without Brake
Wheel with Plain bearing and PP+TPE wheel
Connection via Plate 60x60x2mm


Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	86
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	312g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing



EMILY 100

Swivel caster, Ø 100 mm



Robby Code:2002-0201-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Blue Zinc + Light gray + Dark gray
With Brake
Wheel with Plain bearing and PP+TPE wheel,Brake
Connection via Plate 60x60x2mm

Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	94
Wheel Ø (mm)	100
Wheel width (mm)	33
Wheel hardness	85shore A
Fork colour	Blue Zinc
Colour of wheel hub/cover	ight gray RAL 7040 + Dark gray RAL 7015
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	336g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing

