EMMA 35

Fixed caster, Ø 35 mm



Robby Code:
SPA Code:


Single Fixed caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC+TPU Wheel
Connection via Plate

Mounting height (mm)	50.5
Offset (mm)	/
Swivel radius (mm)	25
Wheel Ø (mm)	35
Wheel width (mm)	31.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	45x26mm
Weight	

Load Capacity (dynamic)	/
Load Capacity (static)	30 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMMA 50

Fixed caster, Ø 50 mm



Robby Code:
SPA Code:

Single Fixed caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC+TPU Wheel
Connection via Plate


Mounting height (mm)	64
Offset (mm)	/
Swivel radius (mm)	29
Wheel Ø (mm)	50
Wheel width (mm)	30.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	46x42mm
Weight	

Load Capacity (dynamic)	/
Load Capacity (static)	50 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA 50

Fixed caster, Ø 50 mm



Robby Code:
SPA Code:


Single Fixed caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Ball Bearing and PC+TPU Wheel
Connection via Plate

Mounting height (mm)	64
Offset (mm)	/
Swivel radius (mm)	29
Wheel Ø (mm)	50
Wheel width (mm)	30.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	46x42mm
Weight	

Load Capacity (dynamic)	/
Load Capacity (static)	50 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA 75

Fixed caster, Ø 75 mm



Robby Code:
SPA Code:


Single Fixed caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC+TPU Wheel
Connection via Plate

Mounting height (mm)	97
Offset (mm)	/
Swivel radius (mm)	41
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	64x60mm
Weight	

Load Capacity (dynamic)	/
Load Capacity (static)	65 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMMA 75

Fixed caster, Ø 75 mm



Robby Code:
SPA Code:

Single Fixed caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Ball Bearing and PC+TPU Wheel
Connection via Plate


Mounting height (mm)	97
Offset (mm)	/
Swivel radius (mm)	41
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	64x60mm
Weight	

Load Capacity (dynamic)	/
Load Capacity (static)	65 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMMA 35

Swivel caster, Ø 35 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC+TPU Wheel
Connection via Top hole Ø8mm


Mounting height (mm)	50.5
Offset (mm)	17.5
Swivel radius (mm)	36
Wheel Ø (mm)	35
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	93g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMMA 35

Swivel caster, Ø 35 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC+TPU Wheel,Brake PA
Connection via Top hole Ø8mm


Mounting height (mm)	50.5
Offset (mm)	17.5
Swivel radius (mm)	56
Wheel Ø (mm)	35
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Brake RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	102 g


Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing





EMMA 35

Swivel caster, Ø 35 mm



Robby Code:2001-0462-01
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC+TPU Wheel
Connection via Threaded bolt M8x15mm

Mounting height (mm)	54.5
Offset (mm)	17.5
Swivel radius (mm)	36
Wheel Ø (mm)	35
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	98g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMMA 35

Swivel caster, Ø 35 mm



Robby Code:2001-0076-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC+TPU Wheel,Brake PA
Connection via Threaded bolt M8x15mm


Mounting height (mm)	54.5
Offset (mm)	17.5
Swivel radius (mm)	56
Wheel Ø (mm)	35
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Brake RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	107g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	36x26x13 cm

Drawing





EMMA 35

Swivel caster, Ø 35 mm



Robby Code:2001-0014-01
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC+TPU Wheel
Connection via Plate 42x42x2mm


Mounting height (mm)	50.5
Offset (mm)	17.5
Swivel radius (mm)	36
Wheel Ø (mm)	35
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	100g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMMA 35

Swivel caster, Ø 35 mm



Robby Code:2001-0049-01
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC+TPU Wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	50.5
Offset (mm)	17.5
Swivel radius (mm)	56
Wheel Ø (mm)	35
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Brake RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	111g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5 cm

Drawing





EMMA 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Top hole Ø8.2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	43
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Top hole
Fitting dimension	Top hole Ø8.2mm
Weight	110g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	31x28x20cm

Drawing



EMMA 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel ,Brake PA
Connection via Top hole Ø8.2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	55
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø8.2mm
Weight	118 g


Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x16 cm

Drawing





EMMA 50

Swivel caster, Ø 50 mm



Robby Code:2001-0564-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Threaded bolt M8x15mm

Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	43
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	115g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA 50

Swivel caster, Ø 50 mm



Robby Code:2001-0191-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel ,Brake PA
Connection via Threaded bolt M8x15mm


Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	55
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	123g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing





EMMA 50

Swivel caster, Ø 50 mm



Robby Code:2001-0101-01
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Plate 42x42x2mm

Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	43
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	116g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA 50

Swivel caster, Ø 50 mm



Robby Code:2001-0360-02
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel ,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	55
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	125g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing





EMMA 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel With bearing and PC +TPU wheel
Connection via Top hole Ø8.2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	43
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	102g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel With bearing and PC +TPU wheel,Brake PA
Connection via Top hole Ø8mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	55
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	115 g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing




Ø35

EMMA 50

Swivel caster, Ø 50 mm



Robby Code:2001-0392-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel With bearing and PC +TPU wheel
Connection via Threaded bolt M8x15mm

Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	43
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	115.3g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA 50

Swivel caster, Ø 50 mm



Robby Code:2001-0391-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel With bearing and PC +TPU wheel,Brake PA
Connection via Threaded bolt M8x15mm


Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	55
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	123.6 g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



EMMA 50

Swivel caster, Ø 50 mm



Robby Code:2001-0080-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake or Without Brake
Wheel With bearing and PC +TPU wheel
Connection via Plate 42x42x2mm

Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	43
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	136g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA 50

Swivel caster, Ø 50 mm



Robby Code:2001-0081-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel With bearing and PC +TPU wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	55
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	146g


Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x16cm

Drawing





EMMA 60

Swivel caster, Ø 60 mm



Robby Code:2001-0209-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Top hole Ø8mm


Mounting height (mm)	79
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	202.4g

Load Capacity (dynamic)	48 kg
Load Capacity (static)	96 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x16 cm

Drawing



EMMA 60

Swivel caster, Ø 60 mm



Robby Code:2001-0220-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Top hole Ø8mm


Mounting height (mm)	79
Offset (mm)	28
Swivel radius (mm)	82
Wheel Ø (mm)	60
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	220g

Load Capacity (dynamic)	48 kg
Load Capacity (static)	96 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x16 cm

Drawing





EMMA 60

Swivel caster, Ø 60 mm



Robby Code:2001-0463-01
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Threaded bolt M10x15mm


Mounting height (mm)	81.5
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	220g

Load Capacity (dynamic)	48 kg
Load Capacity (static)	96 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	36x25x15cm

Drawing



EMMA 60

Swivel caster, Ø 60 mm



Robby Code:2001-0217-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Threaded bolt M10x15mm


Mounting height (mm)	81.5
Offset (mm)	28
Swivel radius (mm)	82
Wheel Ø (mm)	60
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	238 g

Load Capacity (dynamic)	48 kg
Load Capacity (static)	96 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing





EMMA 60

Swivel caster, Ø 60 mm



Robby Code:2001-0201-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Plate 60x60x2mm

Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	59
Wheel Ø (mm)	60
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	232g

Load Capacity (dynamic)	48 kg
Load Capacity (static)	96 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



EMMA 60

Swivel caster, Ø 60 mm



Robby Code:2001-0210-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Plate 60x60x2mm


Mounting height (mm)	78.5
Offset (mm)	28
Swivel radius (mm)	82
Wheel Ø (mm)	60
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	250 g

Load Capacity (dynamic)	48 kg
Load Capacity (static)	96 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x16cm

Drawing



EMMA 75

Swivel caster, Ø 75 mm



Robby Code:2001-0278-00
SPA Code:

Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Top hole Ø8mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	241g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	40 pcs
Carton Size	40x27x16 cm

Drawing



EMMA 75

Swivel caster, Ø 75 mm



Robby Code:2001-0313-00
SPA Code:

Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Top hole Ø8mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Top hole
Fitting dimension	Top hole Ø8mm
Weight	261g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	40 pcs
Carton Size	40x27x16 cm

Drawing



EMMA 75

Swivel caster, Ø 75 mm



Robby Code:2001-0566-00
SPA Code:


Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Threaded bolt M10x15mm

Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	261g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMMA 75

Swivel caster, Ø 75 mm



Robby Code:2001-0357-00
SPA Code:

Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Threaded bolt M10x15mm


Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	281 g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing





EMMA 75

Swivel caster, Ø 75 mm



Robby Code:2001-0239-01
SPA Code:

Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Plate 60x60x2mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	268g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMMA 75

Swivel caster, Ø 75 mm



Robby Code:2001-0284-01
SPA Code:

Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Plate 60x60x2mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	281g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing





EMMA 100

Swivel caster, Ø 100 mm



Robby Code:2001-0333-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Top hole Ø8mm


Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	86
Wheel Ø (mm)	100
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Tope hole
Fitting dimension	Top hole Ø8mm
Weight	344g

Load Capacity (dynamic)	75 kg
Load Capacity (static)	150 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing



EMMA 100

Swivel caster, Ø 100 mm



Robby Code:2001-0353-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Top hole Ø8mm


Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	91
Wheel Ø (mm)	100
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Tope hole
Fitting dimension	Top hole Ø8mm
Weight	367 g

Load Capacity (dynamic)	75 kg
Load Capacity (static)	150 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing





EMMA 100

Swivel caster, Ø 100 mm



Robby Code:2001-0567-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Threaded bolt M10x15mm

Mounting height (mm)	128
Offset (mm)	35
Swivel radius (mm)	91
Wheel Ø (mm)	100
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	359g

Load Capacity (dynamic)	75 kg
Load Capacity (static)	150kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing



EMMA 100

Swivel caster, Ø 100 mm



Robby Code:2001-0351-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Threaded bolt M10x15mm


Mounting height (mm)	128
Offset (mm)	35
Swivel radius (mm)	91
Wheel Ø (mm)	100
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	381 g

Load Capacity (dynamic)	75 kg
Load Capacity (static)	150kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing





EMMA 100

Swivel caster, Ø 100 mm



Robby Code:2001-0316-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Plate 60x60x2mm


Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	91
Wheel Ø (mm)	100
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	371g

Load Capacity (dynamic)	75 kg
Load Capacity (static)	150 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing



EMMA 100

Swivel caster, Ø 100 mm



Robby Code:2001-0335-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome +Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Plate 60x60x2mm

Mounting height (mm)	124.5
Offset (mm)	35
Swivel radius (mm)	91
Wheel Ø (mm)	100
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	388g

Load Capacity (dynamic)	75 kg
Load Capacity (static)	150 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	53x26x21cm

Drawing

