EMMA II 50

Swivel caster, Ø 50 mm



Robby Code:2001-0392-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain bearing and PC +TPU wheel
Connection viaThreaded bolt M8x15mm

Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	44
Wheel Ø (mm)	50
Wheel width (mm)	29
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	113g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	31x28x20cm

Drawing



EMMA II 50

Swivel caster, Ø 50 mm



Robby Code:2001-0391-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain bearing and PC +TPU wheel,Brake PA
Connection viaThreaded bolt M8x15mm


Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	55
Wheel Ø (mm)	50
Wheel width (mm)	29
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	120g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA II 50

Swivel caster, Ø 50 mm



Robby Code:2001-0080-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain bearing and PC +TPU wheel
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	44
Wheel Ø (mm)	50
Wheel width (mm)	29
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	115g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA II 50

Swivel caster, Ø 50 mm



Robby Code:2001-0081-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain bearing and PC +TPU wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	55
Wheel Ø (mm)	50
Wheel width (mm)	29
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	123g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x18cm

Drawing



EMMA II 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Ball Bearings and PC +TPU Wheel
Connection via Threaded bolt M8x15mm

Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	44
Wheel Ø (mm)	50
Wheel width (mm)	29
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	138g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	31x28x20cm

Drawing



EMMA II 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Ball Bearings and PC +TPU Wheel,Brake PA
Connection via Threaded bolt M8x15mm


Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	55
Wheel Ø (mm)	50
Wheel width (mm)	29
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	138g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing





EMMA II 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Ball Bearing and PC +TPU Wheel
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	44
Wheel Ø (mm)	50
Wheel width (mm)	29
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	139g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA II 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Ball Bearing and PC +TPU Wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	55
Wheel Ø (mm)	50
Wheel width (mm)	29
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	148g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x18cm

Drawing





EMMA II 75

Swivel caster, Ø 75 mm



Robby Code:2001-0394-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain bearing and PC +TPU wheel
Connection via Threaded bolt M10x15mm

Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	138g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMMA II 75

Swivel caster, Ø 75 mm



Robby Code:2001-0393-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain bearing and PC +TPU wheel,Brake PA
Connection via Threaded bolt M10x15mm

Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	158g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing



EMMA II 75

Swivel caster, Ø 75 mm



Robby Code:2001-0221-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain bearing and PC +TPU wheel
Connection via Plate 60x60x2mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	284g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMMA II 75

Swivel caster, Ø 75 mm



Robby Code:2001-0224-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain bearing and PC +TPU wheel,Brake PA
Connection via Plate 60x60x2mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	303g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing



EMMA II 75

Swivel caster, Ø 75 mm



Robby Code:2001-0404-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Ball Bearing and PC +TPU wheel
Connection via Threaded bolt M10x15mm


Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	253g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMMA II 75

Swivel caster, Ø 75 mm



Robby Code:2001-0406-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Ball Bearing and PC +TPU wheel,Brake PA
Connection via Threaded bolt M10x15mm


Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	263g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing



EMMA II 75

Swivel caster, Ø 75 mm



Robby Code:2001-0222-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Ball Bearing and PC +TPU wheel
Connection via Plate 60x60x2mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	291g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMMA II 75

Swivel caster, Ø 75 mm



Robby Code:2001-0225-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Ball Bearing and PC +TPU wheel,Brake PA
Connection via Plate 60x60x2mm

Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	81
Wheel Ø (mm)	75
Wheel width (mm)	33
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	310g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing

