EMMA III 35

Swivel caster, Ø 35 mm



Robby Code:2001-0661-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection viaThreaded bolt M8x15mm


Mounting height (mm)	54.5
Offset (mm)	17.5
Swivel radius (mm)	36
Wheel Ø (mm)	35
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	103g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	31x28x20cm

Drawing



EMMA III 35

Swivel caster, Ø 35 mm



Robby Code:2001-0662-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection viaThreaded bolt M8x15mm


Mounting height (mm)	54.5
Offset (mm)	17.5
Swivel radius (mm)	56
Wheel Ø (mm)	35
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	113g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA III 35

Swivel caster, Ø 35 mm



Robby Code:2001-0579-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Plate 42x42x2mm


Mounting height (mm)	50.5
Offset (mm)	17.5
Swivel radius (mm)	36
Wheel Ø (mm)	35
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	105g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMMA III 35

Swivel caster, Ø 35 mm



Robby Code:2001-0576-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	50.5
Offset (mm)	17.5
Swivel radius (mm)	56
Wheel Ø (mm)	35
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	114g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA III 50

Swivel caster, Ø 50 mm



Robby Code:2001-0663-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Threaded bolt M8x15mm


Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	44
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	88g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5cm

Drawing



EMMA III 50

Swivel caster, Ø 50 mm



Robby Code:2001-0664-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Threaded bolt M8x15mm

Mounting height (mm)	67
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brale colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	95g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x16 cm

Drawing



EMMA III 50

Swivel caster, Ø 50 mm



Robby Code:2001-0580-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	44
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	121.7g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	36x26x13cm

Drawing



EMMA III 50

Swivel caster, Ø 50 mm



Robby Code:2001-0577-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Plate 42x42x2mm


Mounting height (mm)	64
Offset (mm)	17.5
Swivel radius (mm)	58
Wheel Ø (mm)	50
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brale colour	Black RAL 9004
Attachment	Plate
Fitting dimension	42x42x2mm
Weight	130.8g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x14.5 cm

Drawing



EMMA III 75

Swivel caster, Ø 75 mm



Robby Code:2001-0665-00
SPA Code:


Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Threaded bolt M10x15mm

Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	245g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMMA III 75

Swivel caster, Ø 75 mm



Robby Code:2001-0666-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Threaded bolt M10x15mm


Mounting height (mm)	99.5
Offset (mm)	28
Swivel radius (mm)	82
Wheel Ø (mm)	75
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	267g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x20 cm

Drawing



EMMA III 75

Swivel caster, Ø 75 mm



Robby Code:2001-0581-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
Without Brake
Wheel with Plain Bearing and PC +TPU wheel
Connection via Plate 60x60x2mm


Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	67
Wheel Ø (mm)	75
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	276g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x18cm

Drawing



EMMA III 75

Swivel caster, Ø 75 mm



Robby Code:2001-0578-00
SPA Code:

Single Swivel caster, Housing made of Steel
Colour: Chrome + Transparent
With Brake
Wheel with Plain Bearing and PC +TPU wheel,Brake PA
Connection via Plate 60x60x2mm

Mounting height (mm)	97
Offset (mm)	28
Swivel radius (mm)	82
Wheel Ø (mm)	75
Wheel width (mm)	38.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Transparent
Brake colour	Black RAL 9004
Attachment	Plate
Fitting dimension	60x60x2mm
Weight	298g

Load Capacity (dynamic)	65 kg
Load Capacity (static)	130 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	50 pcs
Carton Size	40x27x20cm

Drawing

