ERICA II 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Double swivel caster, Housing made of PA
Colour: White + Grey
Without Brake
Wheel with Plain Bearings and PP+TPE Wheel
Connection via Threaded bolt M8x15MM


Mounting height (mm)	58
Offset (mm)	20
Swivel radius (mm)	53
Wheel Ø (mm)	50
Wheel width (mm)	45
Wheel hardness	85shore A
Fork colour	White RAL9010
Colour of wheel hub/cover	Gray RAl7040
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	63g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing



ERICA II 50

Swivel caster, Ø 50 mm



Robby Code:2016-0106-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: White + Grey
With Brake
Wheel with Plain Bearings and PP+TPE Wheel,Brake PA
Connection via Threaded bolt M8x15MM


Mounting height (mm)	58
Offset (mm)	20
Swivel radius (mm)	60
Wheel Ø (mm)	50
Wheel width (mm)	45
Wheel hardness	85shore A
Fork colour	White RAL 9010
Colour of wheel hub/cover	Gray RAl7040
Brake colour	White RAL 9010
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	67g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing



ERICA II 50

Swivel caster, Ø 50 mm



Robby Code:2016-0062-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: White + Grey
Without Brake
Wheel with Plain Bearings and PP+TPE Wheel
Connection via Plate 38x38x1.5mm


Mounting height (mm)	62.5
Offset (mm)	20
Swivel radius (mm)	53
Wheel Ø (mm)	50
Wheel width (mm)	45
Wheel hardness	85shore A
Fork colour	White RAL9010
Colour of wheel hub/cover	Gray RAl7040
Attachment	Plate
Fitting dimension	38x38x1.5mm
Weight	91g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing



ERICA II 50

Swivel caster, Ø 50 mm



Robby Code:2016-0130-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: White + Grey
With Brake
Wheel with Plain Bearings and PP+TPE Wheel,Brake PA
Connection via Plate 38x38x1.5mm


Mounting height (mm)	62.5
Offset (mm)	20
Swivel radius (mm)	60
Wheel Ø (mm)	50
Wheel width (mm)	45
Wheel hardness	85shore A
Fork colour	White RAL 9010
Colour of wheel hub/cover	Gray RAl7040
Brake colour	White RAL 9010
Attachment	Plate
Fitting dimension	38x38x1.5mm
Weight	95g


Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing







ERICA II 50

Swivel caster, Ø 50 mm



Robby Code:
SPA Code:

Double swivel caster, Housing made of PA
Colour: White + Grey
Without Brake
Wheel with Plain Bearings and PP+TPE Wheel
Connection via Pin Ø11x22mm


Mounting height (mm)	58
Offset (mm)	20
Swivel radius (mm)	53
Wheel Ø (mm)	50
Wheel width (mm)	45
Wheel hardness	85shore A
Fork colour	White RAL9010
Colour of wheel hub/cover	Gray RAl7040
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	73g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing



ERICA II 50

Swivel caster, Ø 50 mm



Robby Code:2016-0075-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: White + Grey
With Brake
Wheel with Plain Bearings and PP+TPE Wheel,Brake PA
Connection via Pin Ø11x22mm


Mounting height (mm)	58
Offset (mm)	20
Swivel radius (mm)	60
Wheel Ø (mm)	50
Wheel width (mm)	45
Wheel hardness	85shore A
Fork colour	White RAL 9010
Colour of wheel hub/cover	Gray RAl7040
Brake colour	White RAL 9010
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	77g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing





ERICA II 50

Swivel caster, Ø 50 mm



Robby Code:2016-0057-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: White + Grey
Without Brake
Wheel with Plain Bearings and PP+TPE Wheel
Connection via Pin Ø8x38mm


Mounting height (mm)	58
Offset (mm)	20
Swivel radius (mm)	53
Wheel Ø (mm)	50
Wheel width (mm)	45
Wheel hardness	85shore A
Fork colour	White RAL9010
Colour of wheel hub/cover	Gray RAl7040
Attachment	Pin
Fitting dimension	Pin Ø8x38mm
Weight	73g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing



ERICA II 50

Swivel caster, Ø 50 mm



Robby Code:2016-0071-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: White + Grey
With Brake
Wheel with Plain Bearings and PP+TPE Wheel,Brake PA
Connection via Pin Ø8x38mm

Mounting height (mm)	58
Offset (mm)	20
Swivel radius (mm)	60
Wheel Ø (mm)	50
Wheel width (mm)	45
Wheel hardness	85shore A
Fork colour	White RAL 9010
Colour of wheel hub/cover	Gray RAl7040
Brake colour	White RAL 9010
Attachment	Pin
Fitting dimension	Pin Ø8x38mm
Weight	77g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	4 pcs
QTY Per Carton	200 pcs
Carton Size	40x37x27cm

Drawing

