# ERICA 30

## Swivel caster, Ø 30 mm



**Robby Code:2016-0004-00**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**Without Brake**
**Wheel with Plain Bearing and PA Wheel**
**Connection via Threaded bolt M8x15MM**


| | |
|---|---|
| Mounting height (mm) | 39.5 |
| Offset (mm) | 10 |
| Swivel radius (mm) | 33 |
| Wheel Ø (mm) | 30 |
| Wheel width (mm) | 32 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL9004 |
| Colour of wheel hub/cover | Black RAL9004 |
| Attachment | Threaded bolt |
| Fitting dimension | M8x15mm |
| Weight | 31g |

| | |
|---|---|
| Load Capacity (dynamic) | 25 kg |
| Load Capacity (static) | 50 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 36x25x15cm |

**Drawing**



# ERICA 30

## Swivel caster, Ø 30 mm



**Robby Code:2016-0001-00**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**Without Brake**
**Wheel with Plain Bearing and PA Wheel**
**Connection via Plate 28x28x1.5mm**


| | |
|---|---|
| Mounting height (mm) | 42 |
| Offset (mm) | 10 |
| Swivel radius (mm) | 33 |
| Wheel Ø (mm) | 30 |
| Wheel width (mm) | 32 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL9004 |
| Colour of wheel hub/cover | Black RAL9004 |
| Attachment | Plate |
| Fitting dimension | 28x28x1.5mm |
| Weight | 46g |

| | |
|---|---|
| Load Capacity (dynamic) | 25 kg |
| Load Capacity (static) | 50 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 400 pcs |
| Carton Size | 34x33x23cm |

**Drawing**



# ERICA 40

## Swivel caster, Ø 40 mm



**Robby Code:2016-0015-00**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**Without Brake**
**Wheel with Plain Bearing and PA Wheel**
**Connection via Threaded bolt M8x15MM**


| | |
|---|---|
| Mounting height (mm) | 48.5 |
| Offset (mm) | 15 |
| Swivel radius (mm) | 43 |
| Wheel Ø (mm) | 40 |
| Wheel width (mm) | 38 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Attachment | Threaded bolt |
| Fitting dimension | M8x15mm |
| Weight | 42g |

| | |
|---|---|
| Load Capacity (dynamic) | 20 kg |
| Load Capacity (static) | 40 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 42x28x21cm |

**Drawing**



# ERICA 40

## Swivel caster, Ø 40 mm



**Robby Code:2016-0023-00**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**With Brake**
**Wheel with Plain Bearing and PA Wheel,Brake PA**
**Connection via Threaded bolt M8x15MM**


| | |
|---|---|
| Mounting height (mm) | 48.5 |
| Offset (mm) | 15 |
| Swivel radius (mm) | 52 |
| Wheel Ø (mm) | 40 |
| Wheel width (mm) | 38 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Brake colour | Black RAL 9004 |
| Attachment | Threaded bolt |
| Fitting dimension | M8x15mm |
| Weight | 46g |

| | |
|---|---|
| Load Capacity (dynamic) | 20 kg |
| Load Capacity (static) | 40 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 42x28x21cm |

**Drawing**



# ERICA 40

## Swivel caster, Ø 40 mm



**Robby Code:2016-0014-00**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**Without Brake**
**Wheel with Plain Bearing and PA Wheel**
**Connection via Plate 42x42x1.5mm**


| | |
|---|---|
| Mounting height (mm) | 54 |
| Offset (mm) | 15 |
| Swivel radius (mm) | 43 |
| Wheel Ø (mm) | 40 |
| Wheel width (mm) | 38 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Attachment | Plate |
| Fitting dimension | 42x42x1.5mm |
| Weight | 61g |

| | |
|---|---|
| Load Capacity (dynamic) | 20 kg |
| Load Capacity (static) | 40 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 42x28x21cm |

**Drawing**



# ERICA 40

## Swivel caster, Ø 40 mm



**Robby Code:2016-0022-00**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**With Brake**
**Wheel with Plain Bearing and PA Wheel,Brake PA**
**Connection via Plate 42x42x1.5mm**


| | |
|---|---|
| Mounting height (mm) | 54 |
| Offset (mm) | 15 |
| Swivel radius (mm) | 52 |
| Wheel Ø (mm) | 40 |
| Wheel width (mm) | 38 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Brake colour | Black RAL 9004 |
| Attachment | Plate |
| Fitting dimension | 42x42x1.5mm |
| Weight | 65g |

| | |
|---|---|
| Load Capacity (dynamic) | 20 kg |
| Load Capacity (static) | 40 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 42x28x21cm |

**Drawing**




42

# ERICA 40

## Swivel caster, Ø 40 mm



**Robby Code:**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**Without Brake**
**Wheel with Plain Bearing and PA Wheel**
**Connection via Pin Ø11x22mm**


| | |
|---|---|
| Mounting height (mm) | 48.5 |
| Offset (mm) | 15 |
| Swivel radius (mm) | 43 |
| Wheel Ø (mm) | 40 |
| Wheel width (mm) | 38 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Attachment | Pin |
| Fitting dimension | Pin Ø11x22mm |
| Weight | 46g |

| | |
|---|---|
| Load Capacity (dynamic) | 20 kg |
| Load Capacity (static) | 40 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 42x28x21cm |

**Drawing**



# ERICA 40

## Swivel caster, Ø 40 mm



**Robby Code:**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**With Brake**
**Wheel with Plain Bearing and PA Wheel,Brake PA**
**Connection via Pin Ø11x22mm**


| | |
|---|---|
| Mounting height (mm) | 48.5 |
| Offset (mm) | 15 |
| Swivel radius (mm) | 52 |
| Wheel Ø (mm) | 40 |
| Wheel width (mm) | 38 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Brake colour | Black RAL 9004 |
| Attachment | Pin |
| Fitting dimension | Pin Ø11x22mm |
| Weight | 44g |


| | |
|---|---|
| Load Capacity (dynamic) | 20 kg |
| Load Capacity (static) | 40 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 42x28x21cm |

**Drawing**





# ERICA 40

## Swivel caster, Ø 40 mm



**Robby Code:**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**Without Brake**
**Wheel with Plain Bearing and PA Wheel**
**Connection via Pin Ø8x38mm**


| | |
|---|---|
| Mounting height (mm) | 48.5 |
| Offset (mm) | 15 |
| Swivel radius (mm) | 43 |
| Wheel Ø (mm) | 40 |
| Wheel width (mm) | 38 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Attachment | Pin |
| Fitting dimension | Pin Ø8x38mm |
| Weight | 50g |

| | |
|---|---|
| Load Capacity (dynamic) | 20 kg |
| Load Capacity (static) | 40 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 42x28x21cm |

**Drawing**



# ERICA 40

## Swivel caster, Ø 40 mm



**Robby Code:**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**With Brake**
**Wheel with Plain Bearing and PA Wheel,Brake PA**
**Connection via Pin Ø8x38mm**


| | |
|---|---|
| Mounting height (mm) | 48.5 |
| Offset (mm) | 15 |
| Swivel radius (mm) | 52 |
| Wheel Ø (mm) | 40 |
| Wheel width (mm) | 38 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Brake colour | Black RAL 9004 |
| Attachment | Pin |
| Fitting dimension | Pin Ø8x38mm |
| Weight | 46g |

| | |
|---|---|
| Load Capacity (dynamic) | 20 kg |
| Load Capacity (static) | 40 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 42x28x21cm |

**Drawing**





# ERICA 50

## Swivel caster, Ø 50 mm



**Robby Code:**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**Without Brake**
**Wheel with Plain Bearing and PA Wheel**
**Connection via Threaded bolt M6x15MM**


| | |
|---|---|
| Mounting height (mm) | 58 |
| Offset (mm) | 20 |
| Swivel radius (mm) | 53 |
| Wheel Ø (mm) | 50 |
| Wheel width (mm) | 45 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Attachment | Threaded bolt |
| Fitting dimension | M6x15mm |
| Weight | 66g |

| | |
|---|---|
| Load Capacity (dynamic) | 30 kg |
| Load Capacity (static) | 60 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 40x37x27cm |

**Drawing**



# ERICA 50

## Swivel caster, Ø 50 mm



**Robby Code:**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**With Brake**
**Wheel with Plain Bearing and PA Wheel, Brake PA**
**Connection via Threaded bolt M6x15MM**


| | |
|---|---|
| Mounting height (mm) | 58 |
| Offset (mm) | 20 |
| Swivel radius (mm) | 60 |
| Wheel Ø (mm) | 50 |
| Wheel width (mm) | 45 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Brake colour | Black RAL 9004 |
| Attachment | Threaded bolt |
| Fitting dimension | M6x15mm |
| Weight | 71g |

| | |
|---|---|
| Load Capacity (dynamic) | 30 kg |
| Load Capacity (static) | 60 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 40x37x27cm |

**Drawing**





# ERICA 50

## Swivel caster, Ø 50 mm



**Robby Code:2016-0032-00**
**SPA Code:**


**Double swivel caster, Housing made of PA**
**Colour: Black**
**Without Brake**
**Wheel with Plain Bearings and PA Wheel**
**Connection via Plate 38x38x1.5mm**

| | |
|---|---|
| Mounting height (mm) | 62.5 |
| Offset (mm) | 20 |
| Swivel radius (mm) | 53 |
| Wheel Ø (mm) | 50 |
| Wheel width (mm) | 45 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Attachment | Plate |
| Fitting dimension | 38x38x1.5mm |
| Weight | 81g |

| | |
|---|---|
| Load Capacity (dynamic) | 30 kg |
| Load Capacity (static) | 60 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

| **Packing Details** | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 40x37x27cm |

**Drawing**



# ERICA 50

## Swivel caster, Ø 50 mm



**Robby Code:2016-0047-00**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**With Brake**
**Wheel with Plain Bearings and PA Wheel, Brake PA**
**Connection via Plate 38x38x1.5mm**


| | |
|---|---|
| Mounting height (mm) | 62.5 |
| Offset (mm) | 20 |
| Swivel radius (mm) | 60 |
| Wheel Ø (mm) | 50 |
| Wheel width (mm) | 45 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Brake colour | Black RAL 9004 |
| Attachment | Plate |
| Fitting dimension | 38x38x1.5mm |
| Weight | 86g |

| | |
|---|---|
| Load Capacity (dynamic) | 30 kg |
| Load Capacity (static) | 60 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 40x37x27cm |

**Drawing**





# ERICA 50

## Swivel caster, Ø 50 mm



**Robby Code:2016-0027-00**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**Without Brake**
**Wheel with Plain Bearing and PA Wheel**
**Connection via Pin Ø11x22mm**


| | |
|---|---|
| Mounting height (mm) | 58 |
| Offset (mm) | 20 |
| Swivel radius (mm) | 53 |
| Wheel Ø (mm) | 50 |
| Wheel width (mm) | 45 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Attachment | Pin |
| Fitting dimension | Pin Ø11x22mm |
| Weight | 71g |

| | |
|---|---|
| Load Capacity (dynamic) | 30 kg |
| Load Capacity (static) | 60 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 40x37x27cm |

**Drawing**



# ERICA 50

## Swivel caster, Ø 50 mm



**Robby Code:2016-0045-00**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**With Brake**
**Wheel with Plain Bearing and PA Wheel,Brake PA**
**Connection via Pin Ø11x22mm**


| | |
|---|---|
| Mounting height (mm) | 58 |
| Offset (mm) | 20 |
| Swivel radius (mm) | 60 |
| Wheel Ø (mm) | 50 |
| Wheel width (mm) | 45 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Brake colour | Black RAL 9004 |
| Attachment | Pin |
| Fitting dimension | Pin Ø11x22mm |
| Weight | 77g |

| | |
|---|---|
| Load Capacity (dynamic) | 30 kg |
| Load Capacity (static) | 60 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 40x37x27cm |

**Drawing**



# ERICA 50

## Swivel caster, Ø 50 mm



**Robby Code:2016-0046-00**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**Without Brake**
**Wheel with Plain Bearing and PA Wheel**
**Connection via Pin Ø8x38mm**


| | |
|---|---|
| Mounting height (mm) | 58 |
| Offset (mm) | 20 |
| Swivel radius (mm) | 53 |
| Wheel Ø (mm) | 50 |
| Wheel width (mm) | 45 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Attachment | Pin |
| Fitting dimension | Pin Ø8x38mm |
| Weight | 72g |

| | |
|---|---|
| Load Capacity (dynamic) | 30 kg |
| Load Capacity (static) | 60 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 40x37x27cm |

**Drawing**



# ERICA 50

## Swivel caster, Ø 50 mm



**Robby Code:2016-0046-00**
**SPA Code:**

**Double swivel caster, Housing made of PA**
**Colour: Black**
**With Brake**
**Wheel with Plain Bearing and PA Wheel,Brake PA**
**Connection via Pin Ø8x38mm**

| | |
|---|---|
| Mounting height (mm) | 58 |
| Offset (mm) | 20 |
| Swivel radius (mm) | 60 |
| Wheel Ø (mm) | 50 |
| Wheel width (mm) | 45 |
| Wheel hardness | 95shore A |
| Fork colour | Black RAL 9004 |
| Colour of wheel hub/cover | Black RAL 9004 |
| Brake colour | Black RAL 9004 |
| Attachment | Pin |
| Fitting dimension | Pin Ø8x38mm |
| Weight | 78g |

| | |
|---|---|
| Load Capacity (dynamic) | 30 kg |
| Load Capacity (static) | 60 kg |
| Temperature Range | 0 °C- 60 °C |
| Compliance | RoHS |
| Standards | DIN EN 12528 |

**Packing Details**

| | |
|---|---|
| QTY Per Bag | 4 pcs |
| QTY Per Carton | 200 pcs |
| Carton Size | 40x37x27cm |

**Drawing**

