FARRARI 38

Swivel caster, Ø 38 mm



Robby Code:2007-0096-00
SPA Code:


Double swivel caster, Housing made of PA
Colour: Dark gray + Light gray
Without Brake
Wheel with Plain Bearing and PA+TPU/PA Wheel
Connection viaThreaded bolt M8x15mm

Mounting height (mm)	46
Offset (mm)	14
Swivel radius (mm)	47
Wheel Ø (mm)	38
Wheel width (mm)	67
Wheel hardness	95shore A
Fork colour	Dark gray RAL 7012
Colour of wheel hub/cover	Light gray RAL 7040
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	105g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details	
QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x18cm

Drawing



FARRARI 38

Swivel caster, Ø 38 mm



Robby Code:2007-0097-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark gray + Light gray
With Brake
Wheel with Plain Bearing and PA+TPU/PA Wheel,Brake PA
Connection viaThreaded bolt M8x15mm


Mounting height (mm)	46
Offset (mm)	14
Swivel radius (mm)	49
Wheel Ø (mm)	38
Wheel width (mm)	67
Wheel hardness	95shore A
Fork colour	Dark gray RAL 7012
Colour of wheel hub/cover	Light gray RAL 7040
Brake colour	Dark gray RAL 7012
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	110g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	42x28x21cm

Drawing



FARRARI 38

Swivel caster, Ø 38 mm



Robby Code:2007-0006-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark gray + Light gray
Without Brake
Wheel with Plain Bearing and PA+TPU/PA Wheel
Connection via Plate 47x47x2.5mm


Mounting height (mm)	52
Offset (mm)	14
Swivel radius (mm)	47
Wheel Ø (mm)	38
Wheel width (mm)	67
Wheel hardness	95shore A
Fork colour	Dark gray RAL 7012
Colour of wheel hub/cover	Light gray RAL 7040
Attachment	Plate
Fitting dimension	47x47x2.5mm
Weight	124g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x18cm

Drawing



FARRARI 38

Swivel caster, Ø 38 mm



Robby Code:2007-0035-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark gray + Light gray
With Brake
Wheel with Plain Bearing and PA+TPU/PA Wheel,Brake PA
Connection via Plate 47x47x2.5mm


Mounting height (mm)	52
Offset (mm)	14
Swivel radius (mm)	49
Wheel Ø (mm)	38
Wheel width (mm)	67
Wheel hardness	95shore A
Fork colour	Dark gray RAL 7012
Colour of wheel hub/cover	Light gray RAL 7040
Brake colour	Dark gray RAL 7012
Attachment	Plate
Fitting dimension	47x47x2.5mm
Weight	130g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x20cm

Drawing



FARRARI 38

Swivel caster, Ø 38 mm



Robby Code:2007-0006-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark gray + Light gray
Without Brake
Wheel with Plain Bearing and PA+TPU/PA Wheel
Connection via Pin Ø11x22mm

Mounting height (mm)	44
Offset (mm)	14
Swivel radius (mm)	47
Wheel Ø (mm)	38
Wheel width (mm)	67
Wheel hardness	95shore A
Fork colour	Dark gray RAL 7012
Colour of wheel hub/cover	Light gray RAL 7040
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	105g

Load Capacity (dynamic)	80 kg
Load Capacity (static)	160 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	31x28x20cm

Drawing

