JASON 40

Swivel caster, Ø 40 mm



Robby Code:2019-0017-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour: Chrome +Black
With Brake
Wheel with Plain Bearings and PA Wheel,Brake PA， Cover Stainless Iron
Connection via Threaded bolt M8x15MM


Mounting height (mm)	56.5
Offset (mm)	14
Swivel radius (mm)	52
Wheel Ø (mm)	40
Wheel width (mm)	45.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel: Black, Cover: Chrome
Brake colour	Black
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	83 g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	120 pcs
Carton Size	40x27x18 cm

Drawing



JASON 40

Swivel caster, Ø 40 mm



Robby Code:2019-0006-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour: Chrome +Black
Without Brake
Wheel with Plain Bearings and PA Wheel, Cover Stainless Iron
Connection via Threaded bolt M8x15MM


Mounting height (mm)	56.5
Offset (mm)	14
Swivel radius (mm)	39
Wheel Ø (mm)	40
Wheel width (mm)	45.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel: Black, Cover: Chrome
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	80 g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	120 pcs
Carton Size	40x27x18 cm

Drawing



JASON 40

Swivel caster, Ø 40 mm



Robby Code:2019-0013-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour: Chrome +Black
With Brake
Wheel with Plain Bearings and PA Wheel,Brake PA， Cover Stainless Iron
Connection via Plate 38x38x2mm


Mounting height (mm)	60
Offset (mm)	14
Swivel radius (mm)	52
Wheel Ø (mm)	40
Wheel width (mm)	45.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel: Black, Cover: Chrome
Brake colour	Black
Attachment	Plate
Fitting dimension	38x38x2mm
Weight	100 g

Load Capacity (dynamic)	40kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	120 pcs
Carton Size	40x27x20 cm

Drawing




□38

JASON 40

Swivel caster, Ø 40 mm



Robby Code:2019-0002-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour: Chrome +Black
Without Brake
Wheel with Plain Bearings and PA Wheel,Cover Stainless Iron
Connection via Plate 38x38x2mm


Mounting height (mm)	60
Offset (mm)	14
Swivel radius (mm)	39
Wheel Ø (mm)	40
Wheel width (mm)	45.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel: Black, Cover: Chrome
Attachment	Plate
Fitting dimension	38x38x2mm
Weight	97 g

Load Capacity (dynamic)	40kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	120 pcs
Carton Size	40x27x20 cm

Drawing



JASON 50

Swivel caster, Ø 50 mm



Robby Code:2019-0040-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour:Chrome +Black
With Brake
Wheel with Plain Bearings and PA Wheel,Cover Stainless Iron
Connection via Threaded bolt M8x15MM


Mounting height (mm)	67
Offset (mm)	18
Swivel radius (mm)	62
Wheel Ø (mm)	50
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel:Black ,Cover:Chrome
Brake colour	Black
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	108 g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x18 cm

Drawing



JASON 50

Swivel caster, Ø 50 mm



Robby Code:2019-0030-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour:Chrome +Black
Whitout Brake
Wheel with Plain Bearings and PA Wheel,Cover Stainless Iron
Connection via Threaded bolt M8x15MM


Mounting height (mm)	67
Offset (mm)	18
Swivel radius (mm)	49
Wheel Ø (mm)	50
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel:Black ,Cover:Chrome
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	104 g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	40x27x18 cm

Drawing



JASON 50

Swivel caster, Ø 50 mm



Robby Code:2019-0035-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour: Chrome +Black
With Brake
Wheel with Plain Bearings and PA Wheel,Brake PA,Cover Stainless Iron
Connection via Plate 38x38x2mm


Mounting height (mm)	70.5
Offset (mm)	18
Swivel radius (mm)	62
Wheel Ø (mm)	50
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel:Black ,Cover:Chrome
Brake colour	Black
Attachment	Plate
Fitting dimension	38x38x2mm
Weight	126 g

Load Capacity (dynamic)	50kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x20 cm

Drawing



JASON 50

Swivel caster, Ø 50 mm



Robby Code:2019-0026-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour: Chrome +Black
Whitout Brake
Wheel with Plain Bearings and PA Wheel,Brake PA,Cover Stainless Iron
Connection via Plate 38x38x2mm

Mounting height (mm)	70.5
Offset (mm)	18
Swivel radius (mm)	49
Wheel Ø (mm)	50
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel:Black ,Cover:Chrome
Attachment	Plate
Fitting dimension	38x38x2mm
Weight	120 g

Load Capacity (dynamic)	50kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	40x27x20 cm

Drawing

