KOO 60-2

Swivel caster, Ø 60 mm



Robby Code:
SPA Code:

Double swivel caster, Housing made of PA
Colour: Chrome +black
With Brake
Wheel with Ball Bearings and PA +TPU Wheel, Brake PA+20GF, Cover ABS
Connection via Pin Ø11x22mm


Mounting height (mm)	69
Offset (mm)	22
Swivel radius (mm)	71
Wheel Ø (mm)	60
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Black
Colour of wheel hub/cover	Wheel: Black，Cover: Chrome
Brake colour	Balck
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	166 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Box	4 pcs
QTY Per Carton	40 pcs
Carton Size	42x36x13 cm

Drawing



KOO 60-2

Swivel caster, Ø 60 mm



Robby Code:2008-0341-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Chrome +black
Without Brake
Wheel with Ball Bearings and PA +TPU Wheel, Cover ABS
Connection via Pin Ø11x22mm


Mounting height (mm)	69
Offset (mm)	22
Swivel radius (mm)	56
Wheel Ø (mm)	60
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Black
Colour of wheel hub/cover	Wheel: Black，Cover: Chrome
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	156 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Box	4 pcs
QTY Per Carton	40 pcs
Carton Size	42x36x13 cm

Drawing



KOO 60-2

Swivel caster, Ø 60 mm



Robby Code:2008-0316-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Chrome +black
With Brake / Without Brake
Wheel with Ball Bearings and PA +TPU Wheel， Brake PA+20%GF， Cover ABS
Connection via Threaded bolt M10x15mm


Mounting height (mm)	71
Offset (mm)	22
Swivel radius (mm)	71
Wheel Ø (mm)	60
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Black
Colour of wheel hub/cover	Wheel: Black，Cover: Chrome
Brake colour	Black
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	160 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Box	4 pcs
QTY Per Carton	40 pcs
Carton Size	42x36x13 cm

Drawing



KOO 60-2

Swivel caster, Ø 60 mm



Robby Code:2008-0317-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Chrome +black
Without Brake
Wheel with Ball Bearings and PA +TPU Wheel, Cover ABS
Connection via Threaded bolt M10x15mm


Mounting height (mm)	71
Offset (mm)	22
Swivel radius (mm)	56
Wheel Ø (mm)	60
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Black
Colour of wheel hub/cover	Wheel: Black，Cover: Chrome
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	150 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Box	4 pcs
QTY Per Carton	40 pcs
Carton Size	42x36x13 cm

Drawing



KOO 60-2

Swivel caster, Ø 60 mm



Robby Code:2008-0306-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Chrome +black
With Brake
Wheel with Ball Bearings and PA +TPU Wheel, Brake PA+20%GF, Cover ABS
Connection via Plate 47x47x2.5mm


Mounting height (mm)	75.5
Offset (mm)	22
Swivel radius (mm)	71
Wheel Ø (mm)	60
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Black
Colour of wheel hub/cover	Wheel: Black，Cover: Chrome
Brake colour	Black
Attachment	Plate
Fitting dimension	47x47x2.5mm
Weight	190 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Box	4 pcs
QTY Per Carton	40 pcs
Carton Size	42x36x13 cm

Drawing



KOO 60-2

Swivel caster, Ø 60 mm



Robby Code:
SPA Code:

Double swivel caster, Housing made of PA
Colour: Chrome +black
Without Brake
Wheel with Ball Bearings and PA +TPU Wheel, Cover ABS
Connection via Plate 47x47x2.5mm

Mounting height (mm)	75.5
Offset (mm)	22
Swivel radius (mm)	56
Wheel Ø (mm)	60
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Black
Colour of wheel hub/cover	Wheel: Black，Cover: Chrome
Attachment	Plate
Fitting dimension	47x47x2.5mm
Weight	180 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Box	4 pcs
QTY Per Carton	40 pcs
Carton Size	42x36x13 cm

Drawing

