KOO II 65

Swivel caster, Ø 65 mm



Robby Code:2008-0188-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: All Black
Unloading Brake
Wheel with Plastic Bearings and PA +TPU Wheel
Connection via Pin Ø11x22mm


Mounting height (mm)	76
Offset (mm)	28
Swivel radius (mm)	65
Wheel Ø (mm)	65
Wheel width (mm)	51.5
Wheel hardness	95shore A
Fork colour	Black
Colour of wheel hub/cover	All Black
Brake colour	Red RAL3000
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	150 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x18 cm

Drawing



KOO II 65

Swivel caster, Ø 65 mm



Robby Code:2008-0007-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: All Black
W/O Brake
Wheel with Plastic Bearings and PA +TPU Wheel
Connection via Pin Ø11x22mm


Mounting height (mm)	74
Offset (mm)	28
Swivel radius (mm)	65
Wheel Ø (mm)	65
Wheel width (mm)	51.5
Wheel hardness	95shore A
Fork colour	Black
Colour of wheel hub/cover	All Black
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	150 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x18 cm

Drawing



KOO II 65

Swivel caster, Ø 65 mm



Robby Code:2008-0030-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: All Black
Unloading Brake
Wheel with plastic Bearings and PA +TPU Wheel
Connection via Threaded bolt M10x15mm


Mounting height (mm)	77
Offset (mm)	28
Swivel radius (mm)	65
Wheel Ø (mm)	65
Wheel width (mm)	51.5
Wheel hardness	95shore A
Fork colour	Black
Colour of wheel hub/cover	All Balck
Brake colour	Black
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	148 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x18 cm

Drawing



KOO II 65

Swivel caster, Ø 65 mm



Robby Code:2008-0129-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: All Black
W/O Brake
Wheel with plastic Bearings and PA +TPU Wheel
Connection via Threaded bolt M10x15mm

Mounting height (mm)	75
Offset (mm)	28
Swivel radius (mm)	65
Wheel Ø (mm)	65
Wheel width (mm)	51.5
Wheel hardness	95shore A
Fork colour	Black
Colour of wheel hub/cover	All Balck
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	148 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details	
QTY Per Bag	1 pc
QTY Per Carton	50 pcs
Carton Size	40x27x18 cm

Drawing

