LAIA 60

Swivel caster, Ø 60 mm



Robby Code:2006-0019-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
With Brake
Wheel with Plain Bearings and PA+TPU Wheel,Brake PA,Cover PP
Connection via Pin Ø11x22mm


Mounting height (mm)	75
Offset (mm)	23.5
Swivel radius (mm)	71
Wheel Ø (mm)	61
Wheel width (mm)	41.5
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	Light grey RAL7040, Dark grey RAL7012
Brake colour	Dark grey RAL7012
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	130 g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	80 pcs
Carton Size	42x28x21 cm

Drawing



LAIA 60

Swivel caster, Ø 60 mm



Robby Code:2006-0002-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
Without Brake
Wheel with Plain Bearings and PA+TPU Wheel，Cover PP
Connection via Pin Ø11x22mm


Mounting height (mm)	75
Offset (mm)	23.5
Swivel radius (mm)	57
Wheel Ø (mm)	61
Wheel width (mm)	41.5
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	Light grey RAL7040, Dark grey RAL7012
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	124 g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	80 pcs
Carton Size	42x28x21 cm

Drawing



LAIA 60

Swivel caster, Ø 60 mm



Robby Code:2006-0029-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
With Brake
Wheel with Plain Bearings and PA+TPU Wheel,Brake PA,Cover PP
Connection via Threaded bolt M8x15MM


Mounting height (mm)	77
Offset (mm)	23.5
Swivel radius (mm)	71
Wheel Ø (mm)	61
Wheel width (mm)	41.5
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	ight grey RAL7040, Dark grey RAL7012
Brake colour	Dark grey RAL7012
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	119 g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1pc
QTY Per Carton	80 pcs
Carton Size	42x28x21 cm

Drawing



LAIA 60

Swivel caster, Ø 60 mm



Robby Code:2006-0011-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
Without Brake
Wheel with Plain Bearings and PA+TPU Wheel，Cover PP
Connection via Threaded bolt M8x15MM


Mounting height (mm)	77
Offset (mm)	23.5
Swivel radius (mm)	57
Wheel Ø (mm)	61
Wheel width (mm)	41.5
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	ight grey RAL7040, Dark grey RAL7012
Attachment	Threaded bolt
Fitting dimension	M8x15mm
Weight	173 g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1pc
QTY Per Carton	80 pcs
Carton Size	42x28x21 cm

Drawing



LAIA 60

Swivel caster, Ø 60 mm



Robby Code:2006-0021-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
With Brake
Wheel with Plain Bearings and PA+TPU Wheel,Brake PA,Cover PP
Connection via Plate 47x47x2.5mm


Mounting height (mm)	82
Offset (mm)	23.5
Swivel radius (mm)	73
Wheel Ø (mm)	61
Wheel width (mm)	41.5
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	Light grey RAL7040, Dark grey RAL7012
Brake colour	Dark grey RAL7012
Attachment	Plate
Fitting dimension	47x47x2.5mm
Weight	151 g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	80 pcs
Carton Size	42x28x21cm

Drawing



LAIA 60

Swivel caster, Ø 60 mm



Robby Code:2006-0009-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
Without Brake
Wheel with Plain Bearings and PA+TPU Wheel，Cover PP
Connection via Plate 47x47x2.5mm


Mounting height (mm)	82
Offset (mm)	23.5
Swivel radius (mm)	57
Wheel Ø (mm)	61
Wheel width (mm)	41.5
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	Light grey RAL7040, Dark grey RAL7012
Attachment	Plate
Fitting dimension	47x47x2.5mm
Weight	145 g

Load Capacity (dynamic)	45 kg
Load Capacity (static)	90 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	80 pcs
Carton Size	42x28x21cm

Drawing



LAIA 75

Swivel caster, Ø 75 mm



Robby Code:2006-0019-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
With Brake
Wheel with Plain Bearings and PA+TPU Wheel, Brake PA, Cover PP
Connection via Pin Ø11x22mm


Mounting height (mm)	93.5
Offset (mm)	29
Swivel radius (mm)	83
Wheel Ø (mm)	76
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	Light grey RAL7040, Dark grey RAL7012
Brake colour	Dark grey RAL7012
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	188 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	40 pcs
Carton Size	31x28x20 cm

Drawing



LAIA 75

Swivel caster, Ø 75 mm



Robby Code:2006-0156-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
Without Brake
Wheel with Plain Bearings and PA+TPU Wheel，Cover PP
Connection via Pin Ø11x22mm


Mounting height (mm)	93.5
Offset (mm)	29
Swivel radius (mm)	69
Wheel Ø (mm)	76
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	Light grey RAL7040, Dark grey RAL7012
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	180 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	40 pcs
Carton Size	31x28x20 cm

Drawing



LAIA 75

Swivel caster, Ø 75 mm



Robby Code:2006-0060-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
With Brake
Wheel with Plain Bearings and PA+TPU Wheel, Brake PA, Cover PP
Connection via Threaded bolt M10x15MM


Mounting height (mm)	95.5
Offset (mm)	29
Swivel radius (mm)	83
Wheel Ø (mm)	76
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	ight grey RAL7040, Dark grey RAL7012
Brake colour	Dark grey RAL7012
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	184 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1pc
QTY Per Carton	40 pcs
Carton Size	31x28x20 cm

Drawing



LAIA 75

Swivel caster, Ø 75 mm



Robby Code:2006-0157-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
Without Brake
Wheel with Plain Bearings and PA+TPU Wheel，Cover PP
Connection via Threaded bolt M10x15MM


Mounting height (mm)	95.5
Offset (mm)	29
Swivel radius (mm)	83
Wheel Ø (mm)	76
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	ight grey RAL7040, Dark grey RAL7012
Attachment	Threaded bolt
Fitting dimension	M10x15mm
Weight	174 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1pc
QTY Per Carton	40 pcs
Carton Size	31x28x20 cm

Drawing



LAIA 75

Swivel caster, Ø 75 mm



Robby Code:2006-0055-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
With Brake
Wheel with Plain Bearings and PA+TPU Wheel, Brake PA, Cover PP
Connection via Plate 47x47x2.5mm


Mounting height (mm)	101.5
Offset (mm)	29
Swivel radius (mm)	83
Wheel Ø (mm)	76
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	Light grey RAL7040, Dark grey RAL7012
Brake colour	Dark grey RAL7012
Attachment	Plate
Fitting dimension	47x47x2.5mm
Weight	217 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	40 pcs
Carton Size	31x28x20 cm

Drawing



LAIA 75

Swivel caster, Ø 75 mm



Robby Code:2006-0039-00
SPA Code:

Double swivel caster, Housing made of PA
Colour: Dark grey +Light grey
Without Brake
Wheel with Plain Bearings and PA+TPU Wheel，Cover PP
Connection via Plate 47x47x2.5mm

Mounting height (mm)	101.5
Offset (mm)	29
Swivel radius (mm)	69
Wheel Ø (mm)	76
Wheel width (mm)	47
Wheel hardness	95shore A
Fork colour	Dark grey RAL7012
Colour of wheel hub/cover	Light grey RAL7040, Dark grey RAL7012
Attachment	Plate
Fitting dimension	47x47x2.5mm
Weight	206 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	40 pcs
Carton Size	31x28x20 cm

Drawing

