MARIS 40

Swivel caster, Ø 40 mm



Robby Code:2039-0004-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour:Chrome +Black
Without Brake
Wheel with Plain Bearings and PA Wheel + Steet Cover
Connection via Threaded bolt M10x20MM


Mounting height (mm)	72.5
Offset (mm)	20
Swivel radius (mm)	42
Wheel Ø (mm)	42
Wheel width (mm)	31.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Black
Attachment	Threaded bolt
Fitting dimension	M10x20mm
Weight	135.8 g

Load Capacity (dynamic)	25 kg
Load Capacity (static)	50 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	41x25x15 cm

Drawing



MARIS 40

Swivel caster, Ø 40 mm



Robby Code:2039-0001-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour: Chrome +Black
Without Brake
Wheel with Plain Bearings and PA Wheel + Steel cover
Connection via Plate 56x36x2mm


Mounting height (mm)	71
Offset (mm)	20
Swivel radius (mm)	42
Wheel Ø (mm)	42
Wheel width (mm)	31.5
Wheel hardness	95shore A
Fork colour	Chrom
Colour of wheel hub/cover	Black
Attachment	Plate
Fitting dimension	56x36x2mm
Weight	139.9 g

Load Capacity (dynamic)	25kg
Load Capacity (static)	50 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	41x25x15 cm

Drawing



MARIS 50

Swivel caster, Ø 50 mm



Robby Code:2039-0013-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour:Chrome +Black
With Brake
Wheel with Plain Bearings and PA Wheel，Steet Cover，Steel Brake
Connection via Threaded bolt M10x20MM


Mounting height (mm)	80.5
Offset (mm)	20
Swivel radius (mm)	47
Wheel Ø (mm)	51
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel: Black, Cover: Chrome
Brake colour	Chrome
Attachment	Threaded bolt
Fitting dimension	M10x20mm
Weight	175 g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	31x28x20 cm

Drawing



MARIS 50

Swivel caster, Ø 50 mm



Robby Code:2039-0009-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour:Chrome +Black
Without Brake
Wheel with Plain Bearings and PA Wheel + Steet Cover
Connection via Threaded bolt M10x20MM


Mounting height (mm)	80.5
Offset (mm)	20
Swivel radius (mm)	47
Wheel Ø (mm)	51
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel: Black, Cover: Chrome
Attachment	Metric Pin
Fitting dimension	M10x20mm
Weight	156.5 g

Load Capacity (dynamic)	30 kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	31x28x20 cm

Drawing



MARIS 50

Swivel caster, Ø 50 mm



Robby Code:2039-0012-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy,
Colour: Chrome +Black
With Brake
Wheel with Plain Bearings and PA Wheel，Steet Cover，Steel Brake
Connection via Plate 56x36x2mm


Mounting height (mm)	78.5
Offset (mm)	20
Swivel radius (mm)	47
Wheel Ø (mm)	51
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrom
Colour of wheel hub/cover	Wheel: Black, Cover: Chrome
Brake colour	Chrome
Attachment	Plate
Fitting dimension	56x36x2mm
Weight	175.6 g

Load Capacity (dynamic)	30kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	31x28x20 cm

Drawing



MARIS 50

Swivel caster, Ø 50 mm



Robby Code:2039-0006-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy,
Colour: Chrome +Black
Without Brake
Wheel with Plain Bearings and PA Wheel + Steel cover
Connection via Plate 56x36x2mm


Mounting height (mm)	78.5
Offset (mm)	20
Swivel radius (mm)	47
Wheel Ø (mm)	51
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrom
Colour of wheel hub/cover	Wheel: Black, Cover: Chrome
Attachment	Plate
Fitting dimension	56x36x2mm
Weight	156.4 g

Load Capacity (dynamic)	30kg
Load Capacity (static)	60 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	31x28x20 cm

Drawing



MARIS 60

Swivel caster, Ø 60 mm



Robby Code:2039-0023-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour:Chrome +Black
With Brake
Wheel with Plain Bearings and PA Wheel，Steet Cover, Steel Brake
Connection via Threaded bolt M10x20MM


Mounting height (mm)	91.5
Offset (mm)	20
Swivel radius (mm)	52
Wheel Ø (mm)	62
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel : Black, Cover: Chrome
Brake colour	Chrome
Attachment	Threaded bolt
Fitting dimension	M10x20mm
Weight	214.5 g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	42x28x21 cm

Drawing



MARIS 60

Swivel caster, Ø 60 mm



Robby Code:2039-0019-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour:Chrome +Black
Without Brake
Wheel with Plain Bearings and PA Wheel + Steet Cover
Connection via Threaded bolt M10x20MM


Mounting height (mm)	91.5
Offset (mm)	20
Swivel radius (mm)	52
Wheel Ø (mm)	62
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel : Black, Cover: Chrome
Attachment	Threaded bolt
Fitting dimension	M10x20mm
Weight	191.6 g

Load Capacity (dynamic)	40 kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1pc
QTY Per Carton	100 pcs
Carton Size	42x28x21 cm

Drawing



MARIS 60

Swivel caster, Ø 60 mm



Robby Code:2039-0020-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour: Chrome +Black
With Brake
Wheel with Plain Bearings and PA Wheel，Steet Cover, Steel Brake
Connection via Plate 56x36x2mm


Mounting height (mm)	89.5
Offset (mm)	20
Swivel radius (mm)	52
Wheel Ø (mm)	62
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel : Black, Cover: Chrome
Brake colour	Chrome
Attachment	Plate
Fitting dimension	56x36x2mm
Weight	215 g

Load Capacity (dynamic)	40kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	42x28x21 cm

Drawing



MARIS 60

Swivel caster, Ø 60 mm



Robby Code:2039-0016-00
SPA Code:

Double swivel caster, Housing made of Zinc Alloy
Colour: Chrome +Black
Without Brake
Wheel with Plain Bearings and PA Wheel + Steel cover
Connection via Plate 56x36x2mm

Mounting height (mm)	89.5
Offset (mm)	20
Swivel radius (mm)	52
Wheel Ø (mm)	62
Wheel width (mm)	34.5
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel : Black, Cover: Chrome
Attachment	Plate
Fitting dimension	56x36x2mm
Weight	196.6 g

Load Capacity (dynamic)	40kg
Load Capacity (static)	80 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	100 pcs
Carton Size	42x28x21 cm

Drawing

