Olym 60

Swivel caster, Ø 60 mm



Robby Code:2009-0067-00
SPA Code:

Swivel caster, Housing made of Zinc Alloy
Colour: Chrome +White+Black
With Brake
Wheel with Ball Bearings and PA +TPU Wheel,Brake PA,Cover ABS
Connection via Pin Ø11x22mm


Mounting height (mm)	87.5
Offset (mm)	32
Swivel radius (mm)	63
Wheel Ø (mm)	60
Wheel width (mm)	25
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel: White RAL3000+Black,Cover: Chrome
Brake colour	Black
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	218 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Box	6 pcs
QTY Per Carton	60 pcs
Carton Size	42x36x13 cm

Drawing



Olym 60

Swivel caster, Ø 60 mm



Robby Code:2009-0049-00
SPA Code:

Swivel caster, Housing made of Zinc Alloy
Colour: Chrome +White+Black
Without Brake
Wheel with Ball Bearings and PA +TPU Wheel,Cover ABS
Connection via Pin Ø11x22mm


Mounting height (mm)	87.5
Offset (mm)	32
Swivel radius (mm)	63
Wheel Ø (mm)	60
Wheel width (mm)	25
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel: White RAL3000+Black,Cover: Chrome
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	210 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Box	6 pcs
QTY Per Carton	60 pcs
Carton Size	42x36x13 cm

Drawing



Olym 60

Swivel caster, Ø 60 mm



Robby Code:2009-0075-00
SPA Code:

Swivel caster, Housing made of Zinc Alloy
Colour: Chrome +Black+White
With Brake
Wheel with Ball Bearings and PA +TPU Wheel,Brake PA,Cover ABS
Connection via Threaded bolt M10x15mm


Mounting height (mm)	89.5
Offset (mm)	32
Swivel radius (mm)	63
Wheel Ø (mm)	60
Wheel width (mm)	25
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel: White RAL3000+Black,Cover: Chrome
Brake colour	Black
Attachment	Metric Pin
Fitting dimension	M10x15mm
Weight	216 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Box	6 pcs
QTY Per Carton	60 pcs
Carton Size	42x36x13 cm

Drawing



Olym 60

Swivel caster, Ø 60 mm



Robby Code:2009-0054-00
SPA Code:

Swivel caster, Housing made of Zinc Alloy
Colour: Chrome +Black+White
Without Brake
Wheel with Ball Bearings and PA +TPU Wheel，Cover ABS
Connection via Threaded bolt M10x15mm


Mounting height (mm)	89.5
Offset (mm)	32
Swivel radius (mm)	63
Wheel Ø (mm)	60
Wheel width (mm)	25
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Vheel: White RAL3000+Black,Cover: Chrome
Attachment	Metric Pin
Fitting dimension	M10x15mm
Weight	208 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Box	6 pcs
QTY Per Carton	60 pcs
Carton Size	42x36x13 cm

Drawing



Olym 60

Swivel caster, Ø 60 mm



Robby Code:2009-0071-00
SPA Code:

Swivel caster, Housing made of Zinc Alloy
Colour: Chrome +White +Black
With Brake
Wheel with Ball Bearings and PA +TPU Wheel,Brake PA,Cover ABS
Connection via Plate 47x47x2.5mm


Mounting height (mm)	94
Offset (mm)	32
Swivel radius (mm)	63
Wheel Ø (mm)	60
Wheel width (mm)	25
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel: White RAL3000+Black,Cover: Chrome
Brake colour	Black
Attachment	Plate
Fitting dimension	47x47x2.5mm
Weight	248 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Box	6pcs
QTY Per Carton	60 pcs
Carton Size	42x36x13 cm

Drawing



Olym 60

Swivel caster, Ø 60 mm



Robby Code:2009-0052-00
SPA Code:

Swivel caster, Housing made of Zinc Alloy
Colour: Chrome +White +Black
Without Brake
Wheel with Ball Bearings and PA +TPU Wheel，Cover ABS
Connection via Plate 47x47x2.5mm

Mounting height (mm)	94
Offset (mm)	32
Swivel radius (mm)	63
Wheel Ø (mm)	60
Wheel width (mm)	25
Wheel hardness	95shore A
Fork colour	Chrome
Colour of wheel hub/cover	Wheel: White RAL3000+Black,Cover: Chrome
Attachment	Plate
Fitting dimension	47x47x2.5mm
Weight	240 g

Load Capacity (dynamic)	60 kg
Load Capacity (static)	120 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528

Packing Details

QTY Per Box	6pcs
QTY Per Carton	60 pcs
Carton Size	42x36x13 cm

Drawing

