RHINO 65

Swivel caster, Ø 65 mm



Robby Code:
SPA Code:

Double swivel caster, Housing made of PA
Colour: Light grey + Dark Grey
Unloading Brake / W/O Brake / Loading Brake
Wheel with Plain Bearings and PA+TPU Wheel
Connection via Threaded bolt M10x15MM
Remark: These three unctional casters are to be purchased separately


Mounting height (mm)	U:77/N:74/L:80
Offset (mm)	25
Swivel radius (mm)	62
Wheel Ø (mm)	65
Wheel width (mm)	49
Wheel hardness	95shore A
Fork colour	Light grey RAL7040
Colour of wheel hub/cover	Dark grey RAL7012
Attachment	Metric Pin
Fitting dimension	M10x15mm
Weight	128 g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1pc
QTY Per Carton	80 pcs
Carton Size	42x28x21 cm

Drawing



RHINO 65

Swivel caster, Ø 65 mm



Robby Code:
SPA Code:

Double swivel caster, Housing made of PA
Colour: Light grey + Dark Grey
Unloading Brake / W/O Brake / Loading Brake
Wheel with Plain Bearings and PA+TPU Wheel
Connection via Plate 47x47x2.5mm
Remark: These three unctional casters are to be purchased separately


Mounting height (mm)	U:78/N:81/L:84
Offset (mm)	25
Swivel radius (mm)	62
Wheel Ø (mm)	65
Wheel width (mm)	49
Wheel hardness	95shore A
Fork colour	Light grey RAL7040
Colour of wheel hub/cover	Dark grey RAL7012
Attachment	Plate
Fitting dimension	47x47x2.5mm
Weight	146 g

Load Capacity (dynamic)	50kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	80 pcs
Carton Size	42x28x21 cm

Drawing



RHINO 65

Swivel caster, Ø 65 mm



Robby Code:
SPA Code:

Double swivel caster, Housing made of PA
Colour: Light grey + Dark Grey
Unloading Brake / W/O Brake / Loading Brake
Wheel with Plain Bearings and PA+TPU Wheel
Connection via Pin Ø11x22mm
emark: These three unctional casters are to be purchased separate

Mounting height (mm)	U:75/N:72/L:79
Offset (mm)	25
Swivel radius (mm)	62
Wheel Ø (mm)	65
Wheel width (mm)	49
Wheel hardness	95shore A
Fork colour	Light grey RAL7040
Colour of wheel hub/cover	Dark grey RAL7012
Attachment	Pin
Fitting dimension	Pin Ø11x22mm
Weight	130 g

Load Capacity (dynamic)	50 kg
Load Capacity (static)	100 kg
Temperature Range	0 °C- 60 °C
Compliance	RoHS
Standards	DIN EN 12528
	ANSI BIFMA 5.1

Packing Details

QTY Per Bag	1 pc
QTY Per Carton	80 pcs
Carton Size	42x28x21 cm

Drawing

